

metabo®

PROFESSIONAL POWER TOOL SOLUTIONS




CORDLESS RANGE 2021

www.metabo.com/uk

Our experience is working for you


Over 96 years of experience

Since 1924 we have been working with passion, dynamics, confidence and courage. It all started with our **Metallbohrdreher** (metal drill), our namesake. From the world's first impact drill to our innovative Metabo Ultra-M battery pack technology: Metabo power tools set standards in terms of productivity, robustness, safety and service.



Systemised innovation

In all Metabo machines there are technologies delivering special features: From the Metabo Ultra-M battery technology to the Autobalancer in angle grinders, or the Metabo Quick System, which allows you a tool free change of application and enables you to work quickly and efficiently.



TOOLS, ACCESSORIES AND SERVICE FROM NÜRTINGEN, GERMANY

In every Metabo tool there is traditional German engineering ingenuity. Since 1924 we have been developing innovative ideas in our Nürtigen plant and have been implementing them into pioneering tools and perfect accessories for professional users directly on site. Our service, tailor-made to your requirements, also makes us a strong partner for the industrial sector.



Productivity

Our tools feature convincing technical solutions, offering you plenty of benefits. Minimal processing times yield maximum results. This helps you to save valuable time and reduce your costs.



Safety

The less time lost due to work related illness, the higher your productivity. Our products offer utmost safety and protection for the user – with this we are setting new standards in the market.



Robustness

Metabo's machines and accessories guarantee best quality, absolute reliability and unparalleled service life – for uncompromising high performance even in the harshest of conditions.



Service

From application analysis to individual product and system solutions, fast spare parts and repair service: Your workflow is our commitment.



Steel parts with hardening plant



Mould construction



Plastic injection moulding



Motor production



Engineering



Mechanical production



Assembly



Aluminium foundry

CONTENTS

Introduction: Metabo	02-03	18 V Circular Saws	62-65
12 Volt Cordless	05-19	Accessories - Guide Rails / Saw Blades	63-64
- 12 V Drill/Drivers & Hammer Drills	06-07	18 V Sabre Saws	66-67
- 12 V Impact Drivers / New Rotary Hammer	08-09	18 V Jigsaws	68-69
- 12 V Sabre Saw / Angle Grinder	10	18 V Planer / Multi-Tools	70-75
- 12 V Caulking Guns / Combo Sets / Radios	11-18	18 V - 36 V Tablesaws	76-77
- 12 V Batteries & Chargers	19	18 V Crosscut Mitre Saws & Stands	78-79
The Right Battery for the right application?	20-21	18 V Dry Wall Screwdrivers	80-81
Cordless Alliance System (CAS)	22-23	18 V New Heat Gun / Paddle Mixer	82-83
Your Perfect System	24-25	18 V Caulking Guns / Cordless Vacuums	84-87
LiHD Battery Technology	26-27	18 V - 36 V Angle Grinders	88-92
18 V Class Overview?	28-29	18 V Die Grinders	93
- 18 V L Class Drill/Drivers /Combi Drills	30-33	18 V New Metal Nibbler and Shears	94-95
- 18 V LT Class Drill/Drivers /Combi Drills	34-36	18 V New Angle Grinder / Compressor	96-97
- 18 V LT Class Combo Sets	37	18 V Rivet Gun / Metal Drill	98-99
- 18 V LTX Class Drill/Drivers / Combi Drills	38-43	18 V Chamfer Tool / Tapper	100-101
- 18 V LTX Class Combo Sets	44	18 V Inox Machines / Accessories	102-106
Accessories: Bit / Drill Sets	45-46	18 V Radios	107
Storage Solutions / New metaBOX system	47-51	18 V LED Lighting	108-109
18 V Impact Driver / Wrench	52-54	18 V Other Cordless Tools	110-111
18 V - 36 V SDS+ Hammers	55-59	18 V New Cordless Garden Range	112-119
Accessories SDS+	59	18 V - 36 V Batteries, Sets & Chargers	120-121
18 V New Plunge Cut Circular Saw	60-61	XXL Warranty / Metabo Full Service	122-123



3 Years warranty

Metabo give you an unlimited charge cycle warranty on your batteries.

The 12 Volt cordless machines from Metabo make everyday work easier. **Less weight. More power.**

12 V

The compact class.

The small power packs ...

- Slim and compact handle for optimal handling
- Low weight permits longer working, also overhead
- Shorter design makes use in confined spaces easier
- Particularly compact with the Li-Power battery pack

... with plenty of power.

- Unique brushless motor for highest efficiency for any application
- Even more performance thanks to the Metabo LiHD battery pack technology



ONE charger – one system.



Charging made extremely simple: one charger for all Metabo slide-on battery packs from 12 to 36 Volt

POWERMAXX BS 12 BL Q CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- The Metabo 12 Volt class - lightweight, yet powerful
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area
- Handy belt hook and bit holder can be fixed either on the right or left side
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage	12 V
Maximum torque - Soft / Hard	18 Nm / 45 Nm
Adjustable Torque	0,5 - 5 Nm
Drill Ø steel	10 mm
Drill Ø soft wood	25 mm
No load speed	0 - 500 / 0 - 1650 rpm

BRUSHLESS

Battery options	Order No.
2 LiHD (12 V/4.0 Ah) + ASC 55 Charger	601039800
Body only + metaBOX 118	601039840
Body only + Inlay	601039890

POWERMAXX BS 12 BL Q Standard scope of delivery

Quick change chuck, Belt hook and bit case, metaBOX 118

Scope of delivery



Full Service price group FS2



POWERMAXX BS 12 CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class - lightweight, yet powerful
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601036500
Body only + metaBOX 118	601036840
Body only + Inlay	601036890



POWERMAXX BS 12 Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 118

Full Service price group FS1



POWERMAXX BS 12 Q CORDLESS DRILL/SCREWDRIVER

- Light compact drill/screwdriver with extremely compact design for versatile use
- The Metabo 12 Volt class - lightweight, yet powerful
- Metabo Quick System: quick change of bit retainer and bits, for flexible working

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601037500
Body only + metaBOX 118	601037840
Body only + Inlay	601037890



POWERMAXX BS 12 Q Standard scope of delivery

Quick-change chuck, Belt hook and bit case, metaBOX 118

Full Service price group FS1



POWERMAXX BS 12 BL CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- The Metabo 12 Volt class - lightweight, yet powerful
- Battery packs with capacity display for checking the charge status

Battery pack voltage	12 V
Maximum torque - soft / hard	18 Nm / 45 Nm
Drill Ø steel / softwood	10 mm / 25 mm
No load speed	0-500 / 0-1650 rpm

Battery options	Order No.
2 x LiHD (12V 4.0Ah) + ASC 55	601038800
Body only + metaBOX 118	601038840
Body only + Inlay	601038890



BRUSHLESS

POWERMAXX BS 12 BL Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 118

Full Service price group FS2



POWERMAXX SB 12 CORDLESS HAMMER DRILL

- Light, compact cordless hammer drill with extremely compact design for versatile use
- The Metabo 12 Volt class - lightweight, yet powerful
- Hammer drill function for drilling in masonry

Battery pack voltage	12 V
Maximum torque - soft / hard	17 Nm / 40 Nm
Drill Ø masonry	10 mm
Drill Ø steel / softwood	10 mm / 18 mm
No load speed	0-360 / 0-1400 rpm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601076500
Body only + metaBOX 118	601076840
Body only + Inlay	601076890



POWERMAXX SB 12 Standard scope of delivery

Quick-change chuck, quick change bit holder, metaBOX 118

Full Service price group FS1



POWERMAXX SB 12 BL CORDLESS HAMMER DRILL

BRUSHLESS

- Brushless hammer drill with compact design for universal and demanding applications
- The Metabo 12 Volt class - lightweight, yet powerful
- Hammer drill function for drilling in masonry

Battery pack voltage	12 V
Maximum torque - soft / hard	18 Nm / 45 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø steel / softwood	25 mm

Battery options	Order No.
2 x LiHD (12V 4.0Ah) + ASC 55	601077800
Body only + MetaLoc	601077840
Body only + Inlay	601077890



POWERMAXX SB 12 BL Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 118

Full Service price group FS2



POWERMAXX SSD 12 CORDLESS IMPACT DRIVER

- The Metabo 12 Volt class - lightweight, yet powerful
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

Battery pack voltage	12 V
Maximum torque	115 Nm
Speed/torque levels	1
Bit retainer	Hexagon recess 1/4" 6.35mm

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power + SC30	601114500
Body only + MetaLoc	601114840
Body only + Inlay	601114890



POWERMAXX SSD 12 Standard scope of delivery

Belt Hook, metaBOX 118

Full Service price group FS1



POWERMAXX SSD 12 BL CORDLESS IMPACT DRIVER

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- The Metabo 12 Volt class - lightweight, yet powerful
- Compact cordless impact driver for tough applications

BRUSHLESS

Battery pack voltage	12 V
Maximum torque	140 Nm
Speed/torque levels	2
Bit retainer	Hexagon recess 1/4" 6.35mm

Battery options	Order No.
2 x LiHD (12V 4.0Ah) + ASC 55	601115800
Body only + MetaLoc	601115840
Body only + Inlay	601115890



POWERMAXX SSD 12 BL Standard scope of delivery

Belt hook and bit case, metaBOX 118

Full Service price group FS2



Compact. Light. Powerful.

12V



YouTube Metabo Uk



Also available in 18V - see page 59

POWERMAXX BH 12 BL 16 CORDLESS ROTARY HAMMER

NEW

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	12 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	1.8 kg

BRUSHLESS



PowerMaxx BH 12 BL 16 Scope of delivery

Side handle, Drilling depth guide, 2 LiHD battery packs (12 V/4.0 Ah), Charger ASC 55 „AIR COOLED“, metaBOX 145

Battery options	Order No.
2 x LiHD 12 V 4.0 Ah + metaBOX	600207800
Body only + metaBOX 145	600207840

Full Service price group FS3



POWERMAXX SSE 12 BL CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- The Metabo 12 Volt class - lightweight, yet powerful
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

Battery pack voltage	12 V
Strokes in idle	0 - 3,000 rpm
Saw blade stroke	16 mm
Weight	1.6 kg



POWERMAXX SSE 12 BL Scope of delivery

Sabre saw blade for wood and metal,
2 Li-Power battery packs (12 V/2.0 Ah),
Charger SC 30, metaBOX 145

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power	602322500
Body only plus MetaLoc	602322840
Body only + Inlay	602322890



5 x sabre saw blades sheet metal series "flexible"

Order no. 628268000



5x sabre saw blades wood + metal "flexible" series

■ Overall length: 100 mm

Order no. 628265000



Full Service price group FS3

KPA 12 400 CORDLESS CAULKING GUN

- The Metabo 12 Volt class - lightweight, yet powerful
- High discharge force for processing of all standard materials for sealing and gluing
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags

Battery pack voltage / type	12 V Li-ion
Discharge pressure	4400 N
Holder size	400 ml
Feed rate in idle	1.5 -10 mm/s
Suitable for	Cartridges / Foil bag



KPA 12 400 Scope of delivery

400 ml tube, Push plate for foil bag, Push plate for cartridges, Cartridge carrier, 2 x Li-Power battery pack (12 V/2.0 Ah), Charger SC 30

Battery options	Order No.
2 x 12 V 2.0Ah Li-Power	601217600
Body only	601217850



Full Service price group FS4

POWERMAXX CC 12 BL CORDLESS ANGLE GRINDER

- Very handy tool with maximum working comfort for many applications
- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- The Metabo 12 Volt class - lightweight, yet powerful
- Powerful brushless motor for quick work progress and highest efficiency
- Overload protection: protects the motor from overheating

Battery pack voltage	12 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight	0.8 kg



POWERMAXX CC 12 BL Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145



Battery options	Order No.
2 x 12 V 2.0Ah Li-Power	600348500
Body only plus metaBOX 145	600348840
Body only + Inlay	600348890

Full Service price group FS2

KPA 12 600 CORDLESS CAULKING GUN

- The Metabo 12 Volt class - lightweight, yet powerful
- High discharge force for processing of all standard materials for sealing and gluing
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack

Battery pack voltage / type	12 V LiHD
Discharge pressure	4400 N
Holder size	600 ml
Feed rate in idle	1.5 -10 mm/s
Suitable for	Cartridges / Foil bag



KPA 12 600 Scope of delivery

600 ml tube, Push plate for foil bag, Push plate for cartridges, 2 x LIHD battery pack (12 V/4.0 Ah), Charger ASC 55 „AIR COOLED“

Battery options	Order No.
2 x LIHD 12 V 4.0Ah	601218800
Body only	601218850



Full Service price group FS4



Also available in 18V as
SGS 18 LTX Q see page 113

POWERMAXX SGS 12 Q CORDLESS GRASS/SHRUB SHEARS

- 1 machine - 2 applications
- Shrub shears for precise form cuts on shrubs and bushes
- Grass shears for clean lawn edges
- Tool-free disc change of the two blade attachments thank to Metabo Quick system
- Lightweight machine with maximum quiet running

NEW



Battery pack voltage	12 V
Number of cuts	2,300 /min
With shrub blade	
Cutting length / thickness	20 cm / 8 mm
With grass blade	
Cutting width	11.5 cm
Weight (with battery pack)	1.0 kg

Battery options	Order No.
1 x 2.0Ah battery, charger and bag	601608500

* See page 121 for additional Battery Set options

PowerMaxx SGS 12 Q scope of delivery

Grass blade, Shrub blade, 1 x 12V / 2.0 Ah Li-ion battery, SC 30 charger and tool bag

Available from January 2021

Full Service price group FS1

12V COMBO SETS



See the latest
product videos on
our Metabo UK
YouTube channel

COMBO SET 2.7.1

- PowerMaxx BS 12 + PowerMaxx SSD 12
- Light compact drill/screwdriver with extremely compact design for versatile use
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability



Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685166000

Full Service price group FS1 + FS1



COMBO SET 2.7.2

- PowerMaxx SB 12 + PowerMaxx SSD 12
- Light, compact cordless hammer drill with extremely compact design for versatile use
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability



Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685167000

Full Service price group FS1 + FS1

COMBO SET 2.7.5

- PowerMaxx SB 12 BL + PowerMaxx SSD 12 BL
- Brushless hammer drill with compact design for universal and demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Compact cordless impact driver for tough applications

BRUSHLESS



Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685165000

Full Service price group FS2 + FS2

COMBO SET 2.7.3

- PowerMaxx BS 12 BL + PowerMaxx SSD 12 BL
- Brushless drill/screwdriver with compact design for universal and demanding applications
- Compact cordless impact driver for tough applications
- Robust die cast aluminium gear housing for optimum heat dissipation and durability

BRUSHLESS



Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685168000

Full Service price group FS2 + FS2

COMBO SET 2.7.4

- PowerMaxx BS 12 BL Q + PowerMaxx SSD 12 BL
- Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Compact cordless impact driver for tough applications

BRUSHLESS



Standard scope of delivery

Keyless chuck, Belt hook and bit case, 1 x Li-Power battery pack (12 V/2.0 Ah), 1 x LiHD battery pack (12 V/4.0Ah) Charger SC 30, metaBOX 145 L

Order No. 685164000

Full Service price group FS2 + FS2

COMBO SET 2.7.6

- PowerMaxx BS 12 BL + PowerMaxx SSE 12 BL
- Cordless Sabre Saw PowerMaxx SSE 12 BL: Light, extremely handy saw for one or two handed operation
- Cordless Drill/Screwdriver PowerMaxx BS 12 BL: Brushless drill/screwdriver with compact design for universal and demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- The Metabo 12 Volt class - lightweight, yet powerful
- Ultra-M technology: highest performance, gentle charging and
- 3 years of warranty on the battery pack.

BRUSHLESS



Standard scope of delivery

Cordless Drill/Screwdriver PowerMaxx BS 12 BL, Cordless Sabre Saw PowerMaxx SSE 12 BBL, 2 Li-Power Battery Packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685175000



Full Service price group FS2 + FS3

COMBO SET 2.7.7

- PowerMaxx SB 12 BL + PowerMaxx SSE 12 BL
- Cordless Sabre Saw PowerMaxx SSE 12 BL: Light, extremely handy saw for one or two handed operation
- Cordless Hammer Drill PowerMaxx SB 12 BL: Brushless hammer drill with compact design for universal and demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- The Metabo 12 Volt class - lightweight, yet powerful
- Ultra-M technology: highest performance, gentle charging and
- 3 years of warranty on the battery pack.

BRUSHLESS



Standard scope of delivery

Cordless Hammer Drill PowerMaxx SB 12, Cordless Sabre Saw PowerMaxx SSE 12 BL, 2 Li-Power Battery Packs (12 V/2.0 Ah), Charger SC 30, metaBOX 145 L

Order No. 685176000



Full Service price group FS2 + FS3

POWERMAXX BS 12 + ULA

- Light compact drill/screwdriver with extremely compact design for versatile use
- Powerful LED portable lamp for uniform, bright illumination of the working area
- Lamp head can be tilted and locked in 12 positions

Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 118, Cordless Portable Lamp PowerMaxx ULA 12 LED

Order No. 601036900

Full Service price group FS1 + FS1



POWERMAXX SB 12 + ULA

- Light, compact cordless hammer drill with extremely compact design for versatile use
- Powerful LED portable lamp for uniform, bright illumination of the working area
- Lamp head can be tilted and locked in 12 positions

Standard scope of delivery

Keyless chuck, Belt hook and bit case, 2 Li-Power battery packs (12 V/2.0 Ah), Charger SC 30, metaBOX 118, Cordless Portable Lamp PowerMaxx ULA 12 LED,

Order No. 601076900

Full Service price group FS1 + FS1



POWERMAXX ULA LED

- Powerful LED portable lamp for uniform, bright illumination of the working area
- The Metabo 12 Volt class - lightweight, yet powerful
- Very good illumination thanks to the high-performance Power-LED
- Lamp head can be tilted and locked in 12 positions

Max. luminous flux	210 lm
Max. operation time per battery charge	12 V / 2.0 Ah: 6.2 h 12V LiHD 4.0 Ah: 12.4 h
Weight (without battery pack)	0.26 kg

Standard scope of delivery

without battery, without charger

Order No. 600788000

Full Service price group FS1



R 12-18 BT Cordless Worksite Radio with Bluetooth

- Robust and compact AM/FM worksite radio with Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Radio frequency AM	522 - 1620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 BT
Scope of delivery

Order No. 60077380
Body only

Mains cable
without battery pack



Full Service price group FS1

R 12-18 DAB+ BT Cordless Worksite Radio digital DAB+ Bluetooth

- Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions
- With Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Radio frequency AM	522 - 1.620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 DAB+ BT
Scope of delivery

Order No. 60077380
Body only

Mains cable
without battery pack



Full Service price group FS1

	Battery type	Ah	Order No.
	Li-Power	2.0	625406000
	LiHD	4.0	625349000
	Charger		Order No.
	Charger ASC 55		627045000
	Power Adapter PowerMaxx PA 12 LED-USB		600298000

	Basic Set	Ah	Order No.
	2 x 12 V Li-Power Charger SC30	2.0	685300000
	Basic Set	Ah	Order No.
	2 x LiHD 12 V Charger ASC 55	4.0	685301000
	Accessory		Order No.
	PowerMaxx 12 V Adapter (compatible with PowerMaxx 10.8V tools)		625225000




The Metabo Quick system: Versatile and convenient

Quick and efficient working

Thanks to a tool free system enabling a quick change from drill chuck to angle attachment or to bit retainer for different applications with the same machine.



The right **BATTERY** for the right application

 **CAS** **100% Compatibility**
All battery packs are compatible with all existing and future Metabo & CAS Partners 18V tools and chargers.


LiHD - HIGH-POWERED, WITHOUT THE CABLE.

The powerful cells in Metabo LiHD battery packs deliver enough power for handling even the toughest applications with no cables.

Thanks to LiHD technology, Metabo is the world's only manufacturer to cover the entire power range up to 3,200 watts.

Maximum power, available for an extremely long time – for any application.

metabo[®]
PROFESSIONAL POWER TOOL SOLUTIONS



CAS

Cordless Alliance System

100% compatibility for over 160 machines in the 18 V class!


The Cordless Alliance System (CAS) makes you independent from the wall socket! Profit from **problem-free compatibility** for machines, battery packs and chargers of different manufacturers. This permits a number of professional applications also with cordless tools – from standard to special tasks.



One battery interface - more than 160 machines. From different manufacturers. With CAS, professionals can switch between the manufacturers without having to purchase a new battery pack or charger. To find out more visit: www.cordless-alliance-system.com



CAS assembles the various companies with very different target groups under one roof. The press machines from **Rothenberger**, for example, are the ideal tool for the work of fitters, heating engineers, refrigeration and air-conditioning technicians or service technicians.



metabo

mafell

starmix

ROTHENBERGER

EISENBLÄTTER

fischer

Collomix

EIBENSTOCK
Elektrowerkzeuge

BIRCHMEIER

STENEL

part of starmix
ROKAMAT

edding

PREBENA

haaga
Pressfit

JÖST

Cembre

A system with great user benefit

YOUR PERFECT SYSTEM



Ultra M Technology

For perfect communication between machine, battery pack and charger



100% Compatibility

All Metabo "slide style" battery packs are forward and backward compatible. Yesterday, today and in the future



3 Years warranty

3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.



www.metabo.com/uk

metabo[®]
PROFESSIONAL POWER TOOL SOLUTIONS



LiHD – The most powerful battery pack technology in the world!

Thanks to LiHD technology, Metabo is the only manufacturer in the world to cover the entire power range – from 400 to 3,200 Watt – from standard machines to unique system solutions. Applications previously reserved for only the most powerful mains powered machines can now be handled cordlessly. It is the combination of many different components that offer added power, service life, and runtime.

The LiHD battery packs are now available in 12V with 4.0 Ah and in 18V with 4.0 Ah, 5.5 Ah, 8.0 Ah and 10.0 Ah.

Powerful

The combination of new high-performance battery cells and completely re-developed components within the LiHD battery pack ensures maximum power availability over an extremely long run time.

12V

18V



4.0 Ah
Compact and strong



5.5 Ah
Maximum performance



8.0 Ah / 10.0 Ah
Maximum performance
maximum runtime

NEW

Leading technology.

More power

with LiHD cell technology in combination with a newly developed battery pack

- Enlarged power rails and contacts capable of handling high currents
- 3x better conductivity with cell connectors made of a specialized copper alloy

More runtime

- More active material in the cell
- Use of high quality materials (silver and copper)



Longer service life

and extreme robustness:

- Optimal protection against internal contamination with fully encapsulated cast design and full protective coating of electronics, as well as optimal gasket in the cover structure
- Protection of the cells with rubber pads
- Less frequent charging due to more usable cell energy
- Exterior rubber coating on the battery pack provides a secure, non-slip grip and also serves as shock protection

THE RIGHT DRILL FOR THE CORRECT APPLICATION



LIGHT DUTY
for everyday applications

- Light / medium duty
- Bench top drill
- Light / compact



MEDIUM DUTY
for demanding applications

- Medium / heavy duty
- Building trade
- Interior renovation
- Metal work (LT-BL)



HEAVY DUTY
with reserve power to go beyond

- Heavy duty with control
- Construction & trade
- Extreme speed
- Metal work (LTX-BL)

**BS: Bohrschrauber
DRILL DRIVER**
Drilling wood, metals and plastics

**SB: Schlagbohrer
HAMMER DRILL**
Drilling wood, metals, plastics and masonry

**BRUSHLESS
MOTOR**

Brushless motors:

Provide a higher working speed compared to brushed motors which allow for quick work progress, particularly suitable when drilling small diameter holes in metal. Brushless motors also provide a longer service life compared to a brushed motor due to less wear and tear and heat transfer.



Precision Stop (LTX - BL):

Electronic torque control with increased precision for precise, delicate working: The torque setting 1-4 ensures that the power as well as the speed is automatically adapted, permitting precise working particularly for small screws.



Metabo Impuls (LTX / LTX - BL):

Selectable "impuls" mode for removal of tight fitting or damaged screws and for spot-drilling on smooth surfaces such as ceramics and metal.



3 Years warranty:


3 year warranty on machine, chuck, charger and batteries. Metabo give you a unlimited charge cycle warranty on your batteries.

The Metabo Quick System:
Versatile and convenient.



Quick and efficient working
Quick change of bit retainer and accessory for flexible working

Increase in efficiency with competence accessories
Thanks to the magnetised female hexagon socket, hex bits or screwdriver bits can be inserted directly into the machine spindle. This assists drilling and screwdriving use in confined spaces and direct torque transmission



L
CLASS



- LIGHT DUTY**
for everyday applications
- Light / medium duty
 - Bench top assembly drill
 - Light / compact



BS 18 L BL Q CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Integrated LED work light with night light function for optimal brightness in the work area
- Handy belt hook and bit holder can be fixed either on the right or left side
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

BRUSHLESS



Battery pack voltage	18 V
Maximum torque - Soft / Hard	25 Nm / 60 Nm
Adjustable torque	0.5 - 5 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	32 mm
No load speed	0-550 / 0-1850 rpm
Chuck capacity	1.5 - 13mm
Weight (inc battery pack)	1.4 kg

Battery options	Order No.
2 x LiHD 18 V 4.0Ah	602327800
Body only plus MetaLoc	602327840

BS 18 L BL Q Standard scope of delivery

Quick-change chuck, Belt hook and bit case, 2 LiHD Battery packs (18 V/4.0 Ah), Charger ASC 55 "AIR COOLED", metaBOX 145

Scope of delivery



Full Service price group FS2

BS 18 L QUICK CORDLESS DRILL/SCREWDRIVER

- Powerful compact drill/screwdriver with compact design
- Metabo Quick System: quick change of bit retainer and bits, for flexible working

Battery pack voltage	18 V
Maximum torque - soft / hard	25 Nm / 50 Nm
Drill Ø steel / softwood	10 mm / 20 mm
No-load speed	0 - 450 / 1800 rpm
Chuck capacity	1,5 - 13 mm



BS 18 L Quick Standard scope of delivery

Quick-change chuck, Belt hook and bit case
Charger SC60 Plus, metaBOX 145



Full Service price group FS3

Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	602320500

SB 18 L CORDLESS HAMMER DRILL

- Powerful, compact hammer drill with extremely compact design
- Hammer drill function for drilling in masonry
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - soft / hard	25 Nm / 50 Nm
Drill Ø masonry / steel	10 mm / 10 mm
Drill Ø softwood	20 mm
No-load speed	0 - 450 / 1800 rpm
Chuck capacity	1,5 - 13 mm



SB 18 L Standard scope of delivery

Keyless chuck, Belt hook and bit case
2 Li-Power battery packs (18 V/2.0 Ah)
Charger SC 60 Plus, metaBOX 145



Full Service price group FS2

Battery options	Order No.
2 x 18 V 2.0Ah Li-Power	602317580

BS 18 L BL CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - Soft / Hard	25 Nm / 60 nm
Drill Ø steel	13 mm
Drill Ø soft wood	32 mm
No-load speed	0 - 550 / 0 - 1.850 rpm
Chuck capacity	1,5 - 13 mm



BRUSHLESS

BS 18 L BL Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 145



Full Service price group FS2

	Order No.
Body only + metaBOX 145	602326840

* See page 121 for Battery Set options

SB 18 L BL CORDLESS HAMMER DRILL

- Brushless hammer drill with compact design for universal and demanding applications
- Integrated LED work light with night light function for optimal brightness in the work area

Battery pack voltage	18 V
Maximum torque - Soft / Hard	25 Nm / 60 Nm
Drill Ø steel / soft wood	13 mm / 32 mm
Drill Ø masonry	10 mm
No-load speed	0 - 550 / 0 - 1.850 rpm
Chuck capacity	1,5 - 13 mm



BRUSHLESS

SB 18 L BL Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 145



Full Service price group FS2

Battery options	Order No.
2 x LIHD 18 V 4.0Ah + ASC 55 Charger	602331800
Body only + metaBOX 145	602331840

LT
CLASS



- MEDIUM DUTY**
for demanding applications
- Medium / heavy duty
 - Building trade
 - Interior renovation
 - Metal work (LT-BL)



BS 18 LT BL Q CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with compact design for universal and demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Integrated working light to illuminate the contact area
- Handy belt hook and bit holder can be fixed either on the right or left side
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

BRUSHLESS

Battery pack voltage	18 V
Maximum torque - Soft / Hard	34 Nm / 60 nm
Adjustable torque	0.7 - 8 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	38 mm
No load speed	0-600 / 0-2100 rpm
Chuck capacity	1.5 - 13mm
Wiegth (inc battery pack)	1.5 kg

	Order No.
Body only plus metaBOX 145	602334840

* See page 121 for Battery Set options

BS 18 LT BL Q Standard scope of delivery

Quick-change chuck, Quick-change bit holder, Belt hook and bit case, metaBOX 145, without battery pack, without charger



Full Service price group FS4

* Picture is for illustration purpose only. Battery not included.

BS 18 LT CORDLESS DRILL/SCREWDRIVER

- Extremely powerful thanks to the powerful Metabo 4-pole brushed motor for quick drilling and screwdriving
- Integrated working light to illuminate the contact area

Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	0 - 450 / 0 - 1600 rpm

Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602102500
Body only plus metaBOX 145	602102840

Full Service price group FS2



BS 18 LT Standard scope of delivery

Keyless chuck, Belt hook with bit case
Charger ASC 55 "AIR COOLED", metaBOX 145

SB 18 LT CORDLESS HAMMER DRILL

- Extremely powerful thanks to the powerful Metabo 4-pole brushed motor for quick drilling and screwdriving
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life

Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø masonry	13 mm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	0 - 450 / 0 - 1600 rpm

	Order No.
Body only plus metaBOX 145	602103840

* See page 121 for Battery Set options

Full Service price group FS3



SB 18 LT Standard scope of delivery

Keyless chuck, Belt hook and bit case, metaBOX 145,
without battery pack, without charger

SB 18 LT BL CORDLESS HAMMER DRILL

- Brushless hammer drill with compact design for universal and demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving

Battery pack voltage	18 V
Maximum torque - soft / hard	34 Nm / 60 Nm
Drill Ø masonry	13 mm
Drill Ø steel / softwood	13 mm / 38 mm
No load speed	600 / 0 - 2100 rpm

Battery options	Order No.
2 x LiHD 18V / 4.0Ah	602316800
Body only plus metaBOX 145	602316840

Full Service price group FS3



BRUSHLESS



SB 18 LT BL Standard scope of delivery

Keyless chuck, Belt hook with bit case
Charger ASC 55 "AIR COOLED", metaBOX 145

COMBO SET 2.4.2

SB 18 LT + W 18 LTX 125 QUICK

- Cordless Hammer drill SB 18 LT: high-performance hammer mechanism for the best results
- Cordless Angle Grinder W 18 LTX 125 Quick: robust and wearresistant motor
- Multifunctional monitoring system to protect the machine and battery pack
- Patented AIR COOLED technology for speedy charging and long service life
- Robust battery packs with capacity display to check the charge status
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee



COMBO SET 2.4.2 scope of delivery

Cordless Hammer Drill SB 18 LT,
Cordless Angle Grinder W 18 LTX 125 Quick,
2 Li-Power Battery Packs (18 V/4.0 Ah),
Charger ASC 55, metaBOX 165 L

Order No. 685039000

Full Service price group FS3 + FS3



COMBO SET LT BL 4.0

BRUSHLESS

COMBO SET LT BL 5.2

SB 18 LT BL + SSD 18 LTX 200 BL

- Cordless Brushless Hammer drill SB 18 LT-BL: high-performance hammer mechanism for the best results
- Cordless Brushless Impact Driver SSD 18 LTX 200 BL
- Patented AIR COOLED technology for speedy charging and long service life
- Robust battery packs with capacity display to check the charge status
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee

COMBO SET LT BL 4.0 / 5.2 scope of delivery

Cordless Hammer Drill SB 18 LT-BL,
Cordless Brushless Impact Driver SSD 18 LTX 200 BL,
2 Li-Power Battery Packs (18 V/4.0 Ah or 18V/5.2 Ah)
Charger ASC 55, MetaLoc IV Carry Case


COMBO SET LT BL 4.0: Order No. UK685316894

Full Service price group FS4 + FS4

COMBO SET LT BL 5.2: Order No. UK685316895

Full Service price group FS4 + FS5





LTX CLASS



- HEAVY DUTY**
with reserve power to go beyond
- Heavy duty with control
 - Construction & trade
 - Extreme speed
 - Metal work (LTX-BL)

BS 18 LTX-3 BL Q | CORDLESS DRILL/SCREWDRIVER

- Brushless 3-speed drill/screwdriver with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for accurate and intricate working
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- Battery packs with capacity display for checking the charge status



Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel	13 mm
Drill Ø concrete	16 mm
Drill Ø soft wood	65 mm

Battery options	Order No.
2 LiHD (18 V/5.5 Ah)	602355660
Body only + metaBOX 145 L	602355840



Quick-change hexagonal bit holder 1/4"



Quick angle attachment



PowerX3 torque adaptor enables the torque of the machine to be tripled

BS 18 LTX-3 BL Q | Standard scope of delivery

Quick-change chuck, quick change bit holder, Side handle, 2 x LiHD 18V/5.5Ah batteries, ASC 145 Charger, metaBOX 145 L

Scope of delivery



Full Service price group FS4

BS 18 LTX BL I CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with maximum power for demanding applications
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - soft / hard	60 Nm / 120 Nm
Drill Ø steel / softwood	13 mm / 65 mm

	Order No.
Body only + metaBOX 145 L	602350840

* See page 121 for Battery Set options
Full Service price group **FS3**



BS 18 LTX BL I Standard scope of delivery

Futuro Plus keyless chuck with metal sleeve, Side handle, metaBOX 145 L, without battery pack, without charger

BS 18 LTX BL Q I CORDLESS DRILL/SCREWDRIVER

- Brushless drill/screwdriver with maximum power for demanding applications
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Pulse Torque	65 Nm
Drill Ø steel	13 mm
Drill Ø soft wood	65 mm

Battery options	Order No.
2 LiHD (18 V/5.5 Ah)	602351660
Body only + metaBOX 145 L	602351840

Full Service price group **FS4**



BS 18 LTX BL Q I Standard scope of delivery

Futuro Plus quick-action keyless chuck with metal sleeve
Charger ASC 145 "AIR COOLED", metaBOX 145 L,
Side handle, Belt hook with bit case

SB 18 LTX CORDLESS HAMMER DRILL

- Selectable "Impulse" mode for removal of stubborn screws and for spot drilling on smooth surfaces
- Powerful Metabo 4-pole motor for fast drilling and screwdriving
- High-performance impact mechanism for optimum drilling performance

Battery pack voltage	18 V
Maximum torque - Soft / Hard	55 Nm / 110 nm
Pulse torque	60 Nm
Drill Ø masonry	16 mm
Drill Ø steel / soft wood	13 mm / 65 mm

Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602192580
2 x 18 V 5.2Ah Li-Power	602192680
Body only + metaBOX 145 L	602192840

Full Service price group **FS3**



SB 18 LTX Standard scope of delivery

Futuro Plus quick-action keyless chuck with metal sleeve,
metaBOX 145 L, Side handle, Belt hook with bit case
Charger ASC 55 "AIR COOLED"

SB 18 LTX BL I CORDLESS HAMMER DRILL

- "Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Selectable "Impulse" mode for removal of stubborn screws and for spot drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel / soft wood	13 mm / 65 mm
Drill Ø masonry	16 mm
No-load speed	0 - 500 / 0 - 1850 / rpm



BRUSHLESS

SB 18 LTX BL I Standard scope of delivery

Futuro Plus keyless chuck with metal sleeve
Side handle, Belt hook and bit case
Charger ASC 55 "AIR COOLED", metaBOX 145 L



Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602352500
2 x 18 V 5.2Ah Li-Power	602352650
Body only + metaBOX 145 L	602352840

Full Service price group **FS4**

SB 18 LTX BL Q I CORDLESS HAMMER DRILL

- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Selectable "Impulse" mode for removal of stubborn screws and for spot drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel	13 mm
Drill Ø masonry	16 mm
Drill Ø soft wood	65 mm
No load speed	0 - 500 / 0 - 1850 rpm



BRUSHLESS

SB 18 LTX BL Q I Standard scope of delivery

Quick-change chuck, Quick-change bit holder
Side handle, Belt hook and bit case
Charger ASC 145 "AIR COOLED", metaBOX 145 L



Battery options	Order No.
2 x LiHD 18V / 5.5Ah	602353660
Body only + metaBOX 145 L	602353840

Full Service price group **FS4**

SB 18 LTX-3 BL Q I CORDLESS HAMMER DRILL

- Brushless 3-speed hammer drill with maximum power for demanding applications
- Third speed setting with high torque (max. 3,800/min) for extended range of application and even faster drilling progress
- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Selectable „impuls“ mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Precision Stop: electronic torque control with increased precision for precise, delicate working
- High-performance impact mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- With handy belt hook and bit case which can be fixed either on the right or left side
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status



BRUSHLESS

Battery pack voltage	18 V
Maximum torque - Soft / Hard	60 Nm / 120 Nm
Drill Ø steel	13 mm
Drill Ø masonry	16 mm
Drill Ø soft wood	65 mm
No-load speed	0 - 500 / 0 - 2050 / 0 - 3800 min

Battery options	Order No.
2 x LiHD (18 V/5.5 Ah)	602357660
Body only + metaBOX 145 L	602357840

SB 18 LTX-3 BL Q I Standard scope of delivery

Quick-change chuck, Quick-change bit holder
Side handle, Belt hook and bit case
Charger ASC 145 "AIR COOLED"
metaBOX 145 L

Scope of delivery



Quick-change hexagonal bit holder 1/4"



1/4" hexagonal recess in spindle



PowerX3 torque adaptor enables the torque of the machine to be tripled



SBE 18 LTX CORDLESS IMPACT DRILL

- High performance 2 speed impact drill for powerful drilling into concrete and masonry
- Versatile application solver for drilling without impact, wood, steel, screw driving and stirring
- Metabo S-automatic safety clutch: Mechanical decoupling of the drive for safe working should the drill bit stop unexpectedly.
- Pistol shape ergonomic for optimised drilling performance
- LED working light to illuminate the working area



Battery pack voltage	18 V
Maximum torque - soft	24 Nm
Drill Ø masonry	16 mm
Drill Ø steel / soft wood	13 mm / 30 mm
No-load speed	0 - 1,000 / 0 - 3,000 /min

	Order No.
Body only + metaBOX 165 L	600845840

* See page 121 for Battery Set options

SBE 18 LTX Standard scope of delivery

Futuro Plus keyless chuck
Side handle
Drilling depth guide
metaBOX 165 L

Full Service price group **FS3**



Full Service price group **FS4**

COMBO SET 2.1.15 (LI-POWER)

SB 18 LTX BL I + SSD 18 LTX 200 BL

BRUSHLESS

- Cordless Hammer Drill SB 18 LTX BL I: brushless impact drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee



COMBO SET 2.1.15 (Li-Power) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Brushless Impact Driver SSD 18 LTX 200 BL, 2 Li-Power Battery Packs (18 V/4.0 Ah), Charger ASC 55, metaBOX 145 L

Order No. 685127580



Full Service price group FS4 + FS4

COMBO SET 2.1.15 (LiHD)

SB 18 LTX BL I + SSD 18 LTX 200 BL

BRUSHLESS

- Cordless Hammer Drill SB 18 LTX BL I: brushless impact drill with maximum power for the toughest applications
- Cordless Impact Driver SSD 18 LTX 200 BL: unique Metabo brushless motor for quick work progress and maximum efficiency for any application
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- LiHD battery pack for ultimate performance and extremely long runtime with minimal temperature generation
- Patented AIR COOLED technology for speedy charging and long service life
- Metabo Ultra-M technology: intelligent battery management for long-lasting battery packs with a 3-year guarantee



COMBO SET 2.1.15 (Li-HD) scope of delivery

Cordless Hammer Drill SB 18 LTX BL I, Cordless Impact Driver SSD 18 LTX 200 BL, 2 LiHD Battery Packs (18V/5.5 Ah), Charger ASC 145, metaBOX 145 L

Order No. 685127000



Full Service price group FS4 + FS4

32 pce Bit-Box "Promotion"

PH1, PH2 x 2, PH3
PZ1, PZ2x2, PZ3
SL3, SL4, SL5, SL6
H3, H4, H5, H6
T10, T15, T20, T25, T27, T30, T40
T10, T15, T20, T25, T27, T30, T40
1 x adapter, 1 x magnetic bit holder 65 mm

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter, with adapter for spanner sockets (socket adapter)

Order No. 626700000



15 pce Bit-Box "Promotion"

PH1, PH2
PZ1, PZ2
SL4, SL6
H3, H4, H5
T10, T15, T20, T25, T30
1 x magnetic bit holder

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; magnetic quick change adapter

Order No. 626703000



26 pce Bit & ratchet set "Promotion"

PH1, PH2, PH3
PZ1, PZ2, PZ3
SL4, SL5.5, SL6.5
H3, H4, H5, H6
T10, T15, T20, T25, T30
6 x chuck key: 1/4", 6 mm, 7 mm, 8 mm, 10 mm, 13 mm.; 1 x extensions, 1 x ratchet

Consisting of S 2 bits, L 25 mm

Coloured-coded bits; high-quality ratchet; socket spanner made from chrome vanadium steel

Order No. 626701000



56 pce Bit-Box "Promotion"

S 2 bits, L 25 mm

PH1 x 3, PH2 x 3, PH3 x 3
PZ1 x 3, PZ2 x 3, PZ3 x 3
SL4 x 2, SL5 x 2, SL6 x 2
H3, H4, H5
T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2
T10, T15, T20, T25, T27, T30, T40
1 x magnetic quick change bit holder

L 75 mm

PH2, PH3
PZ1, PZ2
SL6
T20, T25

Coloured-coded bits; magnetic quick change adapter, with adapter for sockets (socket wrench adapter)

Order No. 626702000



71 pce Bit-Box "Promotion"

S 2 bits, L 25 mm

PH1 x 3, PH2 x 6, PH3 x 3
PZ1 x 3, PZ2 x 6, PZ3 x 3
SL4 x 3, SL6 x 3
H4 x 3, H5 x 3, H6 x 3
T10 x 3, T15 x 3, T20 x 3, T25 x 3, T27 x 3, T30 x 3, T40 x 3
1 x magnetic quick change bit holder; 1 x magnetic bit holder

L 75 mm

PH1, PH2, PH3
PZ1, PZ2
SL4, SL6
T20, T25

Coloured-coded bits; magnetic quick change adapter + bit holder

Order No. 626704000



55 pce Accessory set "Promotion"

S 2 bits, L=25 mm

Phillips: PH1, PH2 x 2, PH3
Pozidriv: PZ1, PZ2x2, PZ3
Slotted: SL4, SL6, SL7
Hexagon: H3, H4, H5, H6
Torx: T15, T20, T25

1 x template, 1 x spatula,
1 x magnetic bit holder,
1 x countersink,
1 x socket wrench adapter

Order No. 626707000

HSS-TiN drill bits for metal

Ø 1.5 mm x 2; Ø 2 mm x 2; Ø 2.5 mm x 1
Ø 3 mm x 2; Ø 3.5 mm x 1; Ø 4 mm x 1
Ø 4.5 mm x 1; Ø 5 mm x 1; Ø 5.5 mm x 1
Ø 6 mm x 2; Ø 6.5 mm x 1

Carbide masonry drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 2
Ø 7 mm x 1; Ø 8 mm x 1; Ø 10 mm x 1

CV wood drill bit

Ø 4 mm x 1; Ø 5 mm x 1; Ø 6 mm x 1
Ø 8 mm x 1; Ø 10 mm x 1

Flat timber drill bit

Ø 16 mm x 1; Ø 22 mm x 1



Masonry drill bit storage case

"Promotion" 8 pce



8-piece in plastic case; Carbide masonry drill bit for rotary hammers and impact drills, milled version, suitable for drilling bricks, masonry, etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626706000

Wood drill bit storage case

"Promotion" 8 pce



8-piece, wood spiral drill bit made of high-grade chrome vanadium steel, hardened, with centring point. For use in plywood, chipboards etc.

Ø 3 / 4 / 5 / 5,5 / 6 / 7 / 8 / 10 mm

Order No. 626705000

55 pce Accessory set "Promotion"

S 2 bits (L=25 mm) 32 pieces

Phillips: 0/ 1/1 /2/2 /3/3
Pozidriv: 0/ 1/1 /2/2 /3/3
Slotted: 3 / 4/4 / 6/6
Hexagon: 3/ 4/ 5/5/ 6
Torx: 10/ 15/15/ 20/20/ 25/ 30

S 2 bits (L=50 mm) 8 pieces

Phillips: 1/ 2/ 3
Pozidriv: 1/ 2/ 3
Torx: 15 /20
Socket wrenches (8 pieces): 5.0/ 6.0/ 7.0/ 8.0/ 9.0/ 10.0/ 11.0/ 12.0 mm

Order No. 626708000

HSS-TiN drill bits (14 pieces):

Ø 1.5 mm x 2; Ø 2.0 mm x 2; Ø 2.5 mm x 1;
Ø 3.0 mm x 2; Ø 3.5 mm x 1; Ø 4.0 mm x 1;
Ø 4.5 mm x 1; Ø 5.0 mm x 1; Ø 5.5 mm x 1;
Ø 6 mm x 1; Ø 6.5 mm x 1

Carbide masonry drill bits (6 pieces):

Ø 4.0 mm x 1;
Ø 5.0 mm x 1; Ø 6.0 mm x 2;
Ø 7.0 mm x 1; Ø 8.0 mm x 1;
Ø 10 mm x 1

CV wood drill bit (5 pieces):

Ø 4.0 mm x 1;
Ø 5.0 mm x 1;
Ø 6.0 mm x 1
Ø 8.0 mm x 1;
Ø 10.0 mm x 1

Flat timber drill bit

Ø 12.0 mm x 1;
Ø 16.0 mm x 1;
Ø 19.0 mm x 1;
Ø 25.0 mm x 1



STORAGE SOLUTIONS

SMALL TOOLBAG

Features:

- 3 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap
- 3 x reflective logos
- LxWXH 460x260x280mm

Storage:

- 2 x battery pack pockets
- 1 x charger pocket
- 1 x side strap for machine
- + space for other machines



Order No. 657006000

LARGE TOOLBAG

Features:

- 5 x external pockets
- 1 x hand carry strap
- 1 x shoulder strap
- 3 x reflective logos
- LxWXH 670x290x325mm

Storage:

- 3 x battery pack pockets
- 1 x charger pocket
- 1 x accessories pocket
- 2 x side straps for machines
- + space for other machines



Order No. 657007000

ROLLERBOARD FOR METALOC / AS 18 L PC

- For extra mobility for the AS 18 L PC and the MetaLocs
- Fast fixing of the cordless vacuum cleaners AS 18 L PC with metal clamps
- Secure connection of the MetaLocs by means of clamping mechanism
- Braked castors permit safe working on uneven surfaces

Order No. 630174000



X benefits. 1 System.

metaBOX

NEW



The solution for workshop, transport and construction site.

Can be stacked



Can be coupled



Robust

- Maximum load 125 kg
- Protection against dirt and moisture IP43
- Everything stored safely



Workshop



Transport



Construction site

Empty (see page 50 for Inlays)

System width 1
396 mm



metaBOX 118
Dimensions: 396 x 296 x 118 mm (empty)
Order No. 626882000



metaBOX 145
Dimensions: 396 x 296 x 145 mm (empty)
Order No. 626883000



metaBOX 215
Dimensions: 396 x 296 x 215 mm (empty)
Order No. 626887000



metaBOX 340
Dimensions: 396 x 296 x 340 mm (empty)
Order No. 626888000

System width 2
496 mm



metaBOX 145 L
Dimensions: 496 x 296 x 145 mm (empty)
Order No. 626884000



metaBOX 165 L
Dimensions: 496 x 296 x 165 mm (empty)
Order No. 626889000

Rib Layout

System width 1
396 mm



metaBOX 118
Dimensions: 396 x 296 x 118 mm (rib layout PowerMaxx 12V BS/SB/SSD/SSW)
Order No. 626882000



metaBOX 145
Dimensions: 396 x 296 x 145 mm (rib layout 18V cordless drills L + LT class BS/SB/SSD/SSW)
Order No. 626886000



System width 2
496 mm




metaBOX 145 L
Dimensions: 496 x 296 x 145 mm (rib layout 18V cordless drills LTX class BS/SB)
Order No. 626891000
(rib layout corded rotary hammers / drilling machines SBE/KHE/UHE)
Order No. 626892000



metaBOX 165 L
Dimensions: 496 x 296 x 165 mm (rib layout angle grinders corded + cordless 18V up to Ø 125mm discs)
Order No. 626890000

Transport accessories



metaBOX adapter plate
Suitable for Sortimo invehicle equipment Globelyst and SR5
Order No. 626895000



metaBOX Roller board
Easy transport of metaBOX and working material up to 100 kg
Order No. 626894000

Available
January 2021

metaBOX trolley
Easy transport of metaBOX and working material up to 100 kg
Order No. 626893000



Scan the QR Code
for further information

metaBOX Inlays

NEW



Description	Suitable for metaBOX	Order No.
deep drawn inlay MT 18 LTX Compact/MT 18 LTX BL SQ	metaBOX 145 L empty	628879000
deep drawn inlay HG 18 LTX 500	metaBOX 145 L empty	628915000
deep drawn inlay KHA 18 LTX/SBE 18 LTX	metaBOX 165 L empty	628880000
deep drawn inlay WB 18 LTX BL 150/WB 18 LTX BL 180	metaBOX 165 L empty	628881000
deep drawn inlay HO 18 LTX 20-82	metaBOX 340 empty	628890000
deep drawn inlay SSW 18 LTX 600	metaBOX 145 L empty	628887000
deep drawn inlay STA 18 LTX 140	metaBOX 145 L empty	628888000
deep drawn inlay PowerMaxx CC 12 BL	metaBOX 145 empty	628916000
deep drawn inlay NIV/SCV 18 LTX BL 1.6	metaBOX 145 empty	628917000
deep drawn inlay STA 18 LTX 100/STAB 18 LTX 100	metaBOX 145 L empty	628882000
deep drawn inlay NP 18 LTX BL 5.0	metaBOX 145 L empty	628884000
deep drawn inlay KT 18 LTX 66 BL	metaBOX 340 empty	628923000
deep drawn inlay Combosets for BS/SB/SSD	metaBOX 145 empty	628885000
deep drawn inlay Combosets 12V for BS/SB/SSE	metaBOX 145 L empty	628893000
deep drawn inlay ASE 18 LTX	metaBOX 145 L empty	628891000
deep drawn inlay SSE 18 LTX BL	metaBOX 145 L empty	628878000
deep drawn inlay PowerMaxx BH 12 BL 16	metaBOX 145 empty	628920000
deep drawn inlay BH 18 LTX BL 16	metaBOX 145 L empty	628921000
deep drawn inlay KHA 18 LTX BL 24 Quick	metaBOX 165 L empty	628883000
deep drawn inlay Combosets BL for BS/SB/SSD/SSW	metaBOX 145 L empty	628886000
deep drawn inlay Combosets for BS/SB/WS	metaBOX 165 L empty	628889000
deep drawn inlay WF 18 LTX 125/125 Quick	metaBOX 165 L empty	628904000
deep drawn inlay SSE 12 BL/18 LTX/18 LTX BL Comp.	metaBOX 145 empty	628876000
deep drawn inlay GA 18 LTX	metaBOX 145 L empty	628895000
deep drawn inlay W 18 LTX 150 Quick	metaBOX 165 L empty	628896000
deep drawn inlay Basic Sets Battery	metaBOX 145 empty	628922000
deep drawn inlay KHA 36-18 LTX 32	metaBOX 165 L empty	628926000
deep drawn inlay MKS 18 LTX 58/KS 18 LTX 57	metaBOX 340 empty	628877000
deep drawn inlay BE 18 LTX 6	metaBOX 145 empty	628894000
deep drawn inlay CC 18 LTX BL	metaBOX 165 L empty	628875000
deep drawn inlay MLL 3-20	metaBOX 145 empty	628912000
deep drawn inlay PowerMaxx SGS 12 Q	metaBOX 145 empty	628918000
deep drawn inlay SGS 18 LTX Q	metaBOX 145 L empty	628919000
deep drawn inlay SE 18 LTX 2500/4000/6000	metaBOX 145 L empty	628892000

Scan me


Scan the QR code to watch Carina Frank, product manager of metaBOX show you the features and benefits of the new transportation and storage solution from Metabo.



Feature length videos ▶ PLAY ALL

				
HO 18 LTX 20-82 - 18V CORDLESS PLANER Metabo UK 149 views · 1 year ago	MT 400 QUICK - MULTI TOOL Metabo UK 144 views · 1 year ago	KHA 18 LTX BL 24 QUICK SET ISA - 18V CORDLESS... Metabo UK 110 views · 1 year ago	BS 18 LTX-3 BL Q I - 18V CORDLESS DRILL /... Metabo UK 1.2K views · 1 year ago	RW 18 LTX 120 - 18V CORDLESS STIRRER Metabo UK 50 views · 1 year ago

Cordless ▶ PLAY ALL

				
PowerMaxx BS 12 BL Q - 12V BRUSHLESS CORDLESS... Metabo UK 2.1K views · 1 year ago	PowerMaxx BS 12 Q - 12V CORDLESS DRILL/DRIVER Metabo UK 752 views · 1 year ago	PowerMaxx SSD 12 BL - 12V BRUSHLESS CORDLESS... Metabo UK 1.9K views · 1 year ago	KPA 12 400 CORDLESS CAULKING GUN Metabo UK 383 views · 1 year ago	BS 18 L BL Q - 18V CORDLESS DRILL/DRIVER Metabo UK 464 views · 1 year ago

▶ Subscribe to our YouTube channel Metabo UK - to see all the latest products

IMPACT DRIVERS / WRENCHES



SSD 18 LTX 200 BL CORDLESS IMPACT DRIVER

- Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- **Automatic Power Shift (APS)** supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening
- Integrated work light for illumination of the work area



Battery pack voltage	18 V
Maximum torque	200 Nm
Speed/torque levels	12
Bit retainer	Hexagon recess 1/4" (6.35 mm)

Battery options	Order No.
2 LiHD (18 V/4.0 Ah)	602396580
Body only + metaBOX 145	602396840

SSD 18 LTX 200 BL Standard scope of delivery

Belt hook with bit case
Charger ASC 55 "AIR COOLED"
metaBOX 145

Scope of delivery



Full Service price group FS4



BRUSHLESS

LiHD
TECHNOLOGY

CAS

3 Years
WARRANTY

SSW 18 LTX 400 BL CORDLESS IMPACT WRENCH

- High torque machine with low kick-back torque
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life

Battery pack voltage	18 V
Maximum torque	400 Nm
Speed/torque levels	12
Bit retainer	1/2" Male Square

Battery options	Order No.
2 x 18 V 4.0Ah Li-Power	602205500
2 x 18 V 5.2Ah Li-Power	602205650
Body only plus metaBOX 145	602205840

SSW 18 LTX 400 BL Standard scope of delivery

Belt hook, Charger ASC 55 "AIR COOLED"
metaBOX 145

Full Service price group FS4



BRUSHLESS

CAS **3 Years**
WARRANTY

SSW 18 LTX 300 BL CORDLESS IMPACT WRENCH

- Compact cordless impact wrench with 1/2" square drive and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- **Automatic Power Shift (APS)** supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening



Battery pack voltage	18 V
Maximum torque	300 Nm
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)

Battery options	Order No.
2 LIHD (18 V/4.0 Ah)	602395580
Body only + metaBOX 145	602395840



BRUSHLESS



SSW 18 LTX 300 BL Standard scope of delivery

Belt hook with bit case
Charger ASC 55 "AIR COOLED"
metaBOX 145

Scope of delivery



Full Service price group FS4

SSW 18 LTX 600 CORDLESS IMPACT WRENCH

- High torque machine with low kick-back torque
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life



Battery pack voltage	18 V
Maximum torque	600 Nm
Speed/torque levels	1
Bit retainer	1/2" Male Square

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602198650
Body only plus metaBOX 145 L	602198840


SSW 18 LTX 600 Standard scope of delivery

Belt hook, Charger ASC 55 "AIR COOLED"
metaBOX 145 L



Full Service price group FS4

SDS PLUS HAMMERS



KHA 36-18 LTX 32 CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly



Battery pack voltage / type	18 V LiHD
Max. single blow energy (EPTA)	3.1 J
Maximum impact rate	4500 bpm
Drill-Ø concrete with hammer drills	32 mm
Drill-Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill-Ø soft wood	30 mm
No-load speed	0 - 1100 rpm
Bit retainer	SDS-plus
Weight (inc. battery pack)	5.8 kg

BRUSHLESS



18 V ⊕ 18 V → **36 V**

Scope of delivery



KHA 36-18 LTX Standard scope of delivery

Hammer chuck for tools with SDS-plus shank end
Keyless chuck for tools with cylindrical shank
Metabo VibraTech (MVT) side handle
Drilling depth guide
4 LiHD battery packs (18V/8.0 Ah)
2 x Charger ASC ULTRA "AIR COOLED"
metaBOX 165 L

Battery options	Order No.
4 LiHD (18 V/8.0 Ah)	600796810
Body only plus 3 Jaw chuck	600796840
36V - ALSO AVAILABLE	Order No.
KHA 36 LTX (2 x 36V/5.2Ah Li-ion)	600795650
KHA 36 LTX Body only + metaBOX 165 L	600795840

Full Service price group FS4

KHA 18 LTX BL 24 QUICK + ISA 18 LTX 24 18V 3FNC SDS-PLUS HAMMER WITH DUST EXTRACTION

- Extremely light and compact cordless hammer with integrated extraction interface
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Dust-free drilling with compact dust extraction ISA 18 LTX 24
- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits



BRUSHLESS



Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4500 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill Ø soft wood	25 mm
No-load speed	0 - 1200 / min
Weight (inc. battery pack)	3.4 kg

Battery options	Order No.
2 LiHD (18 V, 1x 5.5 Ah 1x 4.0Ah)	600211930

KHA 18 LTX BL 24 Quick Standard scope of delivery

Hammer chuck for tools with SDS-plus shank end
Keyless chuck for tools with cylindrical shank
Rubber-coated side handle, Drilling depth guide
Charger ASC 145 "AIR COOLED"
metaBOX 165 L

Scope of delivery



Full Service price group FS4

KHA 18 LTX BL 24 QUICK CORDLESS HAMMER

- Extremely light and compact cordless hammer with integrated extraction interface (Accessory)
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Combination hammer with 3 functions: hammer drilling, drilling and chiselling



Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4500 bpm
Drill Ø concrete with hammer drills	24 mm
Drill Ø masonry with core bits	68 mm
Drill Ø steel	13 mm
Drill Ø soft wood	25 mm
No-load speed	0 - 1200 / min

Battery options	Order No.
2 LiHD (18 V/5.5 Ah) (ASC 145)	600211660
Body only plus metaBOX 165 L	600211840



KHA 18 LTX BL 24 Quick Standard scope of delivery

Hammer chuck for tools with SDS-plus shank end
Keyless chuck for tools with cylindrical shank
Rubber-coated side handle, Drilling depth guide
Charger ASC 145 "AIR COOLED"
metaBOX 165 L

Full Service price group FS4

ISA 18 LTX 24 DUST EXTRACTOR

- Extremely light and compact dust extraction for dust-free drilling in concrete, stone and masonry
- Simple, tool-free installation to the cordless hammer KHA 18 LTX BL 24 Quick
- Health-friendly working with HEPA filter for smallest dust particles

Order No. 631341840
with metaBOX 145

Order No. 631341890
Cardboard box

Full Service price group FS2



Drill Ø	5 - 16 mm
Max. drill length	160 mm

DDE 14 VACUUM CLEANER ADAPTER

- Vacuum cleaner adapter for extracting drilling dust at the hole entry point
- Safe and dust-free drilling in walls and ceilings

Drill Ø	4 - 14 mm
---------	-----------

Order No. 630829000



SDS-PLUS EXTRACTION DRILL BIT

- Active drill bit cooling for longest service life
- Drilling and cleaning in one work step
- Fast drilling progress thanks to optimal drill dust removal



Overall length mm	Ø mm	Order no.
325	12	626902000
360	14	626903000
360	16	626904000
360	18	626905000

KHA 18 LTX CORDLESS HAMMER

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly
- Battery packs with capacity display for checking the charge status



Max. single blow energy (EPTA)	2.2 J
Maximum impact rate	4000 bpm
Drill Ø concrete with hammer drills	24 mm
No-load speed	0 - 1100 rpm

Battery options	Order No.
2 LiHD (18 V/4.0 Ah)	600210800
2 Li-Power (18 V/5.2 Ah)	600210650
Body only plus metaBOX 165 L	600210840



KHA 18 LTX Standard scope of delivery

Hammer chuck for tools with SDS-plus shank end,
Rubber-coated handle, Drilling depth guide, Carrying strap,
Charger ASC 55 "AIR COOLED", metaBOX 165 L

Full Service price group FS4

BH 18 LTX BL 16 CORDLESS ROTARY HAMMER

- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling

Battery pack voltage	18 V
Max. single blow energy (EPTA)	1.3 J
Drill-Ø concrete with hammer drills	16 mm
No-load speed	0 - 730 rpm
Weight (including battery pack)	2.1 kg

BH 18 LTX BL 16 Standard scope of delivery

Side handle, Drilling depth guide, 2 LiHD Battery packs (18 V/4.0 Ah), Charger ASC 55 „AIR COOLED“, metaBOX 145 L

Battery options	Order No.
2 x LiHD 18 V 4.0 Ah	600324800
Body only + metaBOX 145 L	600324840



Also available in 12V - see page 9

Full Service price group FS3

CUTTING, FIXING & FINISHING



Cordless plunge cut circular saw for powerful plunge cutting.

18 V

Even more precise with guide rail.
(see page 63)



YouTube Metabo Uk

KT 18 LTX 66 BL CORDLESS PLUNGE CUT SAW

NEW

- Cordless plunge cut saw with brushless motor for powerful plunge cuts and precise cuts up to a depth of 66 mm (!)
- Adjustable fit without play on the guide rails from Metabo and other manufacturers for precise cutting results.
- LiHD high-performance battery packs and the Metabo brushless motor guarantee maximum power and enduring sawing
- Versatile application thanks to variable speed for different materials
- Double guide for precise setting of the cutting depth with and without guide rail
- Sawing close to the wall possible down to 14 mm

Battery pack voltage	18 V
Adjustable cutting depth	0 - 66 mm
Maximum cutting depth at 90°	66 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	43 m/s

BRUSHLESS



KT 18 LTX BL 66 Standard scope of delivery

Saw blade „precision cut wood - classic“ 165x20 Z42 WZ 5°, Dust bag, Hexagonal wrench, 2 LiHD battery packs (18 V/5.5 Ah), Quick charger ASC 145 „AIR COOLED“, metaBOX 340

Battery options	Order No.
2 x LiHD 18 V 5.5 Ah + metaBOX	601866660
Body only + metaBOX 340	601866840



IN NEW



Full Service price group FS4

FOR WOOD



KS 18 LTX 57 CORDLESS CIRCULAR SAW

- Powerful, light, cordless circular saw for universal use on construction sites
- Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°

Battery pack voltage	18 V
Swivel range from / to:	0 / + 50°
Adjustable cutting depth	0 - 57 mm
Maximum cutting depth at 90°	57 mm
Maximum cutting depth at 45°	43 mm
Saw blade Ø x bore	165 x 20 mm
No-load speed	4600 rpm
Maximum cutting speed	40 m/s

KS 18 LTX 57 Standard scope of delivery

Carbide circular saw blade (18 teeth)
Parallel guide / rip fence, Hexagonal wrench
Charger ASC 145 "AIR COOLED"
metaBOX 340

Full Service price group FS4



Battery options	Order No.
2 x 18 V 5.2 Ah Li-Power (ASC 55)	601857700
2 x LiHD 18 V 8.0 Ah (ASC 145)	601857810
Body only plus metaBOX 340	601857840
Body only plus Inlay	601857890

Saw Blades	Order No.
Cordless Cut Wood Professional 165x20 Z18 WZ 20°	628294000
Cordless Cut Wood Professional 165x20 Z36 WZ 15°	628295000



The new guide rail system: precise and safe working.

- Splinter protection reduces breakout when sawing
- Safe, non-slip hold as well as protection of the workpiece surface by means of adhesive coating
- Safe fixing with holes to fix the rail to the workpiece and for hanging storage










Guide Rails	Order No.
FS 80: 800 mm Guide Rail	629010000
FS 160: 1600 mm Guide Rail	629011000
FS 160 + Carry Bag: 1600 mm Guide Rail	629011700
FS 250: 2500 mm Guide Rail	629013000
FS 310: 3100 mm Guide Rail	629014000

	Accessories	Order No.
	Metabo FSKIT 2 x FS 160 guide rails, FS bag, FS connector + 2 x Screw clamps NEW	UK629011002
	Guide Rail Carry Bag (FS BAG) Handy carry bag for safe storage and transport of the guide rail up to 160 cm Suitable for Metabo guide rails FS 160	629020000
	Fix Clamp for FS For quick and safe fixing of guide rails from Metabo and other manufacturers Solid hold even in case of vibrations 160 mm clamping height	629021000
	Set of 2 Screw Clamps For safe fixing of guide rails from Metabo and other manufacturers 120 mm clamping height	631031000
	Connector FSV For the tool-free connection of two guide rails for particularly long cuts Can be pushed into the guide rail for storage Suitable for the Metabo guide rails FS	629022000
	Splinter Protection for FS 350 cm Reduces tears in the workpiece Roll with 3.5 m (as replacement) Suitable for the Metabo guide rails FS	629023000
	Sliding Pad for FS 700 cm For easy gliding on the guide rail Roll with 7 m (as replacement)	629024000
	Antislip Strap for FS 700 cm For safe, non-slip hold as well as protection of the workpiece surface Roll with 7 m (as replacement) Suitable for the Metabo guide rails FS	629025000
	Mitre Fence for FS For precise alignment of the guide rail on the workpiece Angle adjustable from -60° to +60° Suitable for the Metabo guide rails FS	629026000

Recommended circular saw blades Ø 165 mm

- Easy, competent, clear
- Extensive new range of circular saw blades for all applications
- In "professional" and "classic" qualities
- Uniform differentiation thanks to colour coding system

	Description	Order No.
	Application area: Multi cut - classic <ul style="list-style-type: none"> ■ Universal use for demanding materials ■ For high standards in cutting quality, e.g. for laminate, thin-walled plastic, aluminium, copper and brass materials Ø 165 x 2.2 x 20 mm Number of teeth: 42 Tooth shape: FZ/TZ Rake angle: 5°	628661000
	Application area: Cordless cut wood <ul style="list-style-type: none"> ■ Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width ■ Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 18 Tooth shape: WZ Rake angle: 20°	628294000
	Application area: Cordless cut wood <ul style="list-style-type: none"> ■ Maximum runtime for cordless saws thanks to extra thin steel blade thickness and cutting width ■ Significantly more cuts per battery pack charge compared to standard saw blades with the same long tool life Ø 165 x 1.6 x 20 mm Number of teeth: 36 Tooth shape: WZ Rake angle: 15°	628295000
 NEW	Application area: Precision cut wood <ul style="list-style-type: none"> ■ Very wide range of uses in wood processing ■ For clean cutting results for ripping or cross cutting in softwood and hardwood Ø 165 x 1.8 x 20 mm Number of teeth: 42 Tooth shape: WZ Rake angle: 5°	628026000
	Application area: Fibre cement cut <ul style="list-style-type: none"> ■ Especially for use in cement and gypsum-bound chipboards and fibreboards Ø 165 x 2.2 x 20 mm Number of teeth: 4 Tooth shape: FZ Rake angle: 5°	628289000
	Application area: Aluminium cut <ul style="list-style-type: none"> ■ Perfect cuts in aluminium thanks to special tooth geometry Ø 165 x 1.6 x 20 mm Number of teeth: 48 Tooth shape: FZ/TZ Rake angle: 5° neg.	628276000
	Application area: Steel cut - classic <ul style="list-style-type: none"> ■ Universal use for cold cuts in metals ■ Particularly suited for use in sheet steel, steel profiles and sandwich materials Ø 165 x 1.6 x 20 mm Number of teeth: 40 Tooth shape: FZFA/FSFA Rake angle: 4°	628273000



MKS 18 LTX 58 CORDLESS METAL CUTTING CIRCULAR SAW

- Powerful cordless metal cutting circular saw with chip collection box for cold sawing of metals. Compatible with guide rails.
- Fast and precise cutting of tubes, profiles, channels, metal grids and sheets, free from sparks and burrs.
- With chip collection box for a clean working environment
- Robust saw with guard made from die-cast aluminium and stainless steel base plate
- Light weight and compact, ergonomic design



Battery pack voltage	18 V
Adjustable cutting depth	0 - 58 mm
Maximum cutting depth at 90°	58 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	31 m/s

Battery options	Order No.
2 x LiHD 18 V / 5.5Ah	600771700
Body only plus metaBOX 340	600771840

Saw Blades	Order No.
SteelCutClassic 165x1,6/1,2x20mm Z40 FZFA/FZFA 4°	628273000
AluminiumCutProf 165x1,6/1,2x20mm Z48 FZ/TR -5	628276000

MKS 18 LTX 58 Scope of delivery

Carbide circular saw blade for metal (40 teeth), Parallel guide / rip fence, Hexagonal wrench, 2 LiHD battery packs (18 V/5.5 Ah), Charger ASC 145 "AIR COOLED", Guide rail adapter, metaBOX 340



Full Service price group FS4

SSE 18 LTX BL CORDLESS SABRE SAW

- Powerful sabre saw with low weight and angled soft grip handle for high working comfort
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Robust die-cast aluminium gear housing, coated for optimum handling
- Continuous speed control trigger c/w locking function for continuous operation
- Saw blade rotatable by 180° for working comfortably overhead

Battery pack voltage	18 V
Strokes – no load	0 - 2700 / min
Saw blade stroke	32 mm

BRUSHLESS



SSE 18 LTX BL Standard scope of delivery

without battery pack, without charger, metaBOX 145 L

	Order No.
Body only plus metaBOX 145 L	602267840



* See page 121 for Battery Set options

Full Service price group FS4

SSE 18 LTX BL COMPACT CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Saw blade rotatable by 180° for working comfortably overhead
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades

Battery pack voltage	18 V
Strokes – no load	0 - 3000 / min
Saw blade stroke	16 mm

BRUSHLESS



SSE 18 LTX Compact Standard scope of delivery

Sabre saw blade for wood and metal, 2 LiHD Battery packs (18 V/4.0 Ah), Charger ASC 55 „AIR COOLED“, metaBOX 145

Battery options	Order No.
2 x LiHD 18 V 4.0 Ah	602366800
Body only plus metaBOX 145	602366840



Full Service price group FS3

ASE 18 LTX CORDLESS SABRE SAW

- Slim, lightweight machine with softgrip handle for comfortable sawing in every working position
- Saw blade rotatable by 180° for working comfortably overhead
- Metabo "Quick" for changing saw blades without tools
- 3-year battery pack warranty by means of Ultra-M technology

Battery pack voltage	18 V
Strokes – no load	0 - 2700 / min
Saw blade stroke	30 mm



ASE 18 LTX Standard scope of delivery

Hexagonal wrench
Charger ASC 55 "AIR COOLED"
metaBOX 145 L

Battery options	Order No.
2 x 18 V 5.2 Ah Li-Power	602269650
Body only	602269850



Full Service price group FS4

SSE 18 LTX COMPACT CORDLESS SABRE SAW

- Light, extremely handy saw for one or two handed operation
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts

Battery pack voltage	18 V
Strokes – no load	0 - 3100 / min
Saw blade stroke	13 mm

SSE 18 LTX Compact Standard scope of delivery

Hexagonal wrench
Charger ASC 55 "AIR COOLED"
metaBOX 145

Battery options	Order No.
2 x LiHD 18 V 4.0 Ah	602266800
Body only plus metaBOX 145	602266840



Full Service price group FS2

STA 18 LTX 140 CORDLESS JIG-SAW

- Extremely powerful jigsaw with VTC-Electronics for fast cuts into softwood of up to 140 mm
- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo „Quick“ for changing saw blades without tools and with automatic ejection
- Convenient automatic start-up with automatic stroke rate acceleration
- Simple bevel cuts thanks to footplate with rest points that can be adjusted without tools
- Selectable shaving blower function ensures free view of cutting line
- Integrated LED work light for illumination of the cutting line
- Vario-Tacho-Constamatic (VTC)-Full Wave Electronics for work with materials requiring customised stroke rates, which remain constant under load
- Restart protection: prevents unintentional start-up after power supply interruption
- Long service life thanks to optimum gear and motor design and robust die-cast aluminium gear housing
- Battery packs with capacity display for checking the charge status



Battery pack voltage	18 V
Cutting depth wood	140 mm
Cutting depth NF metal	35 mm
Cutting depth sheet steel	10 mm
Swivel range from / to:	- 45 / + 45°
Pendulum stroke levels	4
Strokes – no load	1000 - 3000 / min
Weight (inc. battery pack)	2.8 kg

STA 18 LTX 140 Standard scope of delivery

Plastic guard plate
Chip guard plate
metaBOX 145 L
without battery pack, without charger

	Order No.
Body only + metaBOX 145 L	601405840

* See page 121 for Battery Set options

Full Service price group FS4

STA 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo „Quick“ for changing saw blades without tools and with automatic ejection

Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes – no load	550 - 2800 / min

STA 18 LTX 100 Standard scope of delivery

Extraction nozzle
Protective glass
Chip guard plate
Hexagonal wrench
metaBOX 145 L
without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	601002840

* See page 121 for Battery Set options

Full Service price group FS3



STAB 18 LTX 100 CORDLESS JIGSAW

- Extremely handy due to small handle size and soft-grip surface
- Precise and material-matched sawing due to the variable stroke rate on the trigger, pendulum stroke and low-lying saw blade guidance with spring support
- Metabo „Quick“ for changing saw blades without tools and with automatic ejection

Battery pack voltage	18 V
Cutting depth wood	100 mm
Strokes in idle	0 - 2800 / min

STAB 18 LTX 100 Standard scope of delivery

Extraction nozzle
Protective glass
Chip guard plate
Hexagonal wrench
metaBOX 145 L
without battery pack, without charger

	Order No.
Body only plus metaBOX 145 L	601003840

* See page 121 for Battery Set options

Full Service price group FS3





See the latest product videos on our Metabo UK YouTube channel



HO 18 LTX 20-82 PLANER

- Light, compact cordless planer for planing, rebating and chamfering
- Adjustable planer depth and notch depth
- Aluminium die cast and milled cut planer base with V-groove for easy chamfering
- Parallel guide / rip fence for precise guiding of the planer
- Grip area with non-slip soft-grip surface
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- Angled chip ejection adapter for controlled ejection of the wood shavings



Planing width	82 mm
Adjustable planing depth	0 - 2 mm
Maximum notch depth	9 mm
No-load speed	16000 rpm
Length of planer base	295 mm



2 Reversible carbide planer blades
For HO planers

Order No. 630282000

10 Reversible carbide planer blades
For HO planers

Order No. 630272000

HO 18 LTX 20-82 Scope of delivery

- Reversible carbide planer blades
- Parallel Guide / Rip Fence
- Depth gauge
- Chip ejection adapter
- Textile dust bags
- metaBOX 340
- without battery pack, without charger

	Order No.
Body only plus metaBOX 340	602082840
Body only + Inlay	602082890

Full Service price group FS4

* See page 121 for Battery Set options

New brushless Multi-tool.

18 V

STARLOCK PLUS



MT 18 LTX BL QSL CORDLESS MULTI-TOOL

NEW

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- For intensive applications in interior development with custom-fit 3D holder **Starlock Plus**
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Metabo Quick tool change: quick and comfortable thanks to magnetic holder to pre-fix the accessory
- Unique Metabo brushless motor highest efficiency when working, also in continuous mode

BRUSHLESS



Battery pack voltage	18 V
Orbital frequency with no load	8,000-20,000 rpm
Oscillation angle left/right	1.6 °
Bit retainer	Starlock/ Starlock Plus

MT 18 LTX BL QSL Standard scope of delivery

Plunge saw blade 32 mm wood/metal, Triangular hook and loop sanding plate 93 mm, 5 Hook and loop sanding sheets 93 mm P 80, 5 Hook and loop sanding sheets 93 mm P 120, Depth guide, Suction connection, 2 LiHD Battery packs (18 V/4.0 Ah), Charger ASC 55 „AIR COOLED“, metaBOX 145 L

Battery options	Order No.
2 x LiHD 18 V 4.0 Ah	613088800
Body only + metaBOX 145 L	613088840



Full Service price group FS3

Multi-tool blades & accessories (Starlock Plus)

NEW

	Description	Order No.
	Sanding plate "Starlock" 93 mm	626944000
	Plunge cut saw blade "Starlock Plus" wood+metal 32 x 60 mm STARLOCK PLUS	626945000
	Plunge cut saw blade "Starlock Plus" wood 32 x 60 mm STARLOCK PLUS	626946000
	Precision saw blade "Starlock Plus" 32 x 50 mm STARLOCK PLUS	626947000
	Plunge cut saw blade "Starlock Plus" metal 32 x 50 mm STARLOCK PLUS	626948000
	Saw blade "Starlock Plus" wood/abrasive 40 x 53 mm STARLOCK PLUS	626949000
	Depth control + dust extraction	626943000



MT 18 LTX COMPACT CORDLESS MULTI-TOOL

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Tool holder for maximum compatibility to OIS, Starlock and other accessories
- Metabo Quick tool change system for time-saving, convenient change of accessories
- Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load
- Extra bright double LED lights for good visibility of the working area
- Slim design and non-slip soft-grip surface for optimised handling
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status



Battery pack voltage	18 V
Orbital frequency no load	7000 - 18000 / min
Oscillation angle left / right	1.6°
Base plate, dimensions from corner to corner	93 mm

Battery options	Order No.
2 x LiHD 18 V 4.0Ah	613021800
Body only + metaBOX 145 L	613021840

MT 18 LTX Scope of delivery

- Plunge saw blade 32 mm HCS (wood)
- 5 Hook and loop sanding sheets 93 mm P 120 and P 80
- Suction adapter, Multi-adapter
- Charger ASC 55 "AIR COOLED"
- metaBOX 145 L, Segment saw blade
- 85 mm BiM (wood + metal) Scraping knife, rigid 52 mm HCS
- Triangular Velcro-faced sanding plate 93 mm



Full Service price group FS3

Multi-tool blades STARLOCK

	Description	Order No.
	plunge cut saw blade wood HCS 32 mm	626950000
	5 plunge cut saw blade wood HCS 32 mm	626951000
	plunge cut saw blade wood+metal BiM 20 mm	626952000
	plunge cut saw blade wood+metal BiM 28 mm	626953000
	5 plunge cut saw blade wood+metal BiM 28 mm	626954000
	plunge cut saw blade wood+metal BiM 65 mm	626955000
	plunge cut saw blade wood+metal BiM 32 mm	626956000
	plunge cut saw blade metal BiM 32 mm	626957000
	5 plunge cut saw blade metal BiM 32 mm	626958000
	plunge cut saw blade metal HM/TC 32 mm	626959000
	segment saw blade wood+metal BiM 85 mm	626960000
	scraper HCS 52 mm	626961000
	segment saw blade grout+mortar HM 85 mm	626962000
	sanding plate grout+mortar HM 78 mm	626963000

**TS 36-18 LTX BL 254 CORDLESS TABLE SAW
WITH STAND AND TROLLEY FUNCTION**

- Extremely light cordless table saw with trolley function for maximum mobility
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Integrated extraction with dust cyclone for low-dust working without vacuum cleaner
- Quick change between sawing at ground-level or when standing up thanks to integrated, folding stand
- Extra-large support surface thanks to table width extension and table length extension
- Soft start and overload protection for long service life of motor and drive
- Safe working thanks to restart protection and motor brake for quick stop of the saw blade

BRUSHLESS

Battery pack voltage / type	18 V LiHD
Max. support surface	970 x 995 mm
Working height	850 x 355 mm
Cutting height	0 - 87 mm
Maximum cutting height 90/45°	87 / 50 mm
Maximum cutting width at parallel guide/rip fence	630 mm
Maximum material width at mitre fence	200 mm
No-load speed	5000 rpm
Max. cutting speed	66 m/s
Saw blade	254 x 300 mm



TS 36-18 LTX BL 254 Standard scope of delivery

- Carbide saw blade with alternately bevel-ground tips (40 teeth)
- Textile dust bag
- 4 LiHD battery packs (18V/8.0 Ah)
- 2 Quick Chargers ASC Ultra "AIR COOLED"
- Fixation strap for MetaLoc, MetaLoc case, Stand
- Rubber tyres, Parallel Guide / Rip Fence, Mitre Fence
- Table Length Extension, Table Width Extension
- Push stick

Battery options	Order No.
4 x LiHD 18 V 8.0 Ah ¹	613025810
Body only	613025850

Full Service price group **FS?**



¹ **Class 9 goods product:** This product is not suitable for air freight as delivered

KG 18 LTX 216 CORDLESS CROSSCUT SAW

- Powerful cordless crosscut saw for assembly jobs with high cutting output
- Sliding function for wide work pieces
- Compact light weight, suitable also for one-handed transport
- Easy transport thanks to ergonomically-designed handles and saw head lock
- Motor brake for quick stop of the saw blade in 3 seconds
- Effective internal chip and dust extraction via dust scoop and chip collection sack
- Cutting line laser and LED work light with energy-saving automatic switch-off



Battery pack voltage	18 V
Max. cutting width 90° / 45°	305 / 205 mm
Max. cutting depth at 90° / 45°	65 / 36 mm
Straight cut 90° / 90°	305 x 65 mm
Double mitre 45° / 45°	205 x 36 mm
Turntable setting left / right	47 / 47°
Saw blade tilt left/right	47 / 2°
Saw Blade	216 x 30 mm
No-load speed	4200 rpm
Maximum cutting speed	48 m/s



	Order No.
Body only	619001850

* See page 121 for Battery Set options

KG 18 LTX 216 Standard scope of delivery

- Carbide saw blade (40 teeth)
- 2 Table length extensions
- Length Guide
- Material clamp
- Tool for saw blade change
- Chip Collection Bag without battery pack, without charger



Full Service price group FS7

UMS Universal Machine Stand



- For ideal working height and stability
- Can be folded up compactly
- Compensation in height with adjustable stand
- Ready mounted

UMS Scope of delivery

Unit only **Order No. 631317000**

KSU 100 Mitre Saw Stand



- Light and robust stand for mitre saw
- Quickly ready to use thanks to lockable folding legs
- Extendable workpiece supports with rollers and stop fence for precise repetitive cuts (available as accessory)
- Machine carrier (installation without tools) makes it suitable for all the conventional mitre saws of well-known manufacturers

KSU 100 Scope of delivery

Unit only **Order No. 629004000**

KSU 251 / KSU 401 Mitre Saw Stand



- Machine stand with extendable and robust table width extension
- Universal end profile makes it suitable for all the conventional crosscut saws of well-known manufacturers
- Sturdy legs with height adjustment
- Adjustable rollers
- Length stop
- Transportation wheel
- Extensive range of accessories
- Maximum extension: 2.5 m / 4 m

Scope of delivery

KSU 251 - Unit only **Order No. 629005000**

KSU 401 - Unit only **Order No. 629006000**



KSU 251 Mobile Mitre Saw Stand



- Particularly robust stand for mitre saws with trolley function for mobile use also with mounted saw
- Extendable workpiece supports with rollers and folding guide for precise cutting in series
- Double supported table width extension for heavy workpieces
- Compensation in height with adjustable feet
- Simple folding mechanism; can be folded even with the saw in place
- Space-saving storage position

KSU 251 Mobile Scope of delivery

Unit only **Order No. 629007000**



SE 18 LTX 6000 + SM 5-55 CORDLESS DRYWALL SCREWDRIVER

- The specialist for gypsum plasterboards in drywall construction situations: high torque for even faster productivity
- Compact and light design for comfortable one-hand operation
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw clutch
- Robust screwdriver magazine for applying screws accurately in quick succession; can be removed without tools
- Standard 50-screw strips can be used
- Magazine for processing screws with a length of 25-55 mm with max. shaft Ø of 5 mm and max. screw head Ø of 9.5 mm



Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	5 Nm
No-load speed	0 - 6000 / min

	Order No.
SE 18 LTX 6000 Body only plus metaBOX 145 L	620049840

* See page 121 for Battery Set options

Accessory tip



	Order No.
Screwdriver magazine SM 5-55 For inserting screws accurately in quick succession	631608000
2 Phillips screwdriver bits Size 2/176.5 mm Suitable for screwdriver magazine SM 5-55	631582000



Full Service price group FS3

SE 18 LTX 2500 CORDLESS DRYWALL SCREWDRIVER

- Drywall screwdriver with high torque for fixing of gypsum plasterboards and gypsum fibre boards to wood and metal framework
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw coupling
- Depth guide can be fully removed for inspection during operation
- Vario (V)-electronics for working with customised speeds for the materials used
- Integrated working light to illuminate the work site

Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	9 Nm
No-load speed	0 - 2500 / min

SE 18 LTX 2500 Scope of delivery

Depth guide
Magnetic bit holder 1/4" (6.35 mm)
Phillips screwdriver bit, size 2/25 mm
Belt hook
metaBOX 145 L
without battery pack, without charger

	Order No.
Body only + metaBOX 145 L	620047840



Full Service price group FS3

* See page 121 for Battery Set options

SE 18 LTX 4000 CORDLESS DRYWALL SCREWDRIVER

- Drywall screwdriver for fixing gypsum plasterboards to wood and metal; also suitable for gypsum fibre boards to metal frames
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw coupling
- Depth guide can be fully removed for inspection during operation
- Vario (V)-electronics for working with customised speeds for the materials used
- Integrated working light to illuminate the work site

Battery pack voltage	18 V
Bit Retainer	Hexagon recess 1/4" (6.35 mm)
Maximum torque - Soft	7 Nm
No-load speed	0 - 4000 / min

SE 18 LTX 4000 Scope of delivery

Depth guide
Magnetic bit holder 1/4" (6.35 mm)
Phillips screwdriver bit, size 2/25 mm
Belt hook
metaBOX 145 L
without battery pack, without charger


	Order No.
Body only + metaBOX 145 L	620048840



Full Service price group FS3

* See page 121 for Battery Set options

Cordless Heat Gun - heats up in seconds!



HG 18 LTX 500 CORDLESS HEAT GUN



- Lightweight cordless hot air gun for powerful head - fast and everywhere
- Heats up in a matter of seconds, ready to use in only 5 seconds (300°C)
- Maximum performance thanks to larger air volume and higher temperatures
- Two temperature levels, easy switchover while working
- High occupational safety thanks to slim, rubberised handle area and safe storage option
- Matching nozzles for removal of varnish, shaping, crimping, welding and much more (accessories)

Battery pack voltage	18 V
Air volume	200 / 160 l/min
Air temperature	300 / 500 °C
Air temperature levels	2

HG 18 LTX 500 Standard scope of delivery

Wrap around nozzle, Reducing nozzle (9 mm), without battery pack, without charger

Battery options	Order No.
Body only + Wrap around nozzle	601614850



* See page 121 for Battery Set options

Full Service price group FS2

RW 18 LTX 120 CORDLESS MIXER

- Cordless Mixer for powerful mixing on the construction site
- Minor effort to guide the stirrer thanks to ergonomically favourable handle position
- Robust metal gripping frame to protect against damage
- Battery pack is protected by its location on the top and helps to ensure perfect balance when stirring
- Vario-Constamatic (VC)- Electronics for work with materials requiring customised speeds, which remain almost constant under load
- Overload protection: protects the motor from overheating
- Electronic soft start for splash-free working
- Battery packs with capacity display for checking the charge status



Battery pack voltage	18 V
No-load speed	0 - 750 rpm
Gears	2
Maximum stirring paddle diameter	120 mm
Max. recommended mixing amount	40 L
Bit retainer	Female thread M 14



RW 18 LTX 120 Scope of delivery

Stirrer paddle RS-R2 (Ø 120 mm) without battery pack, without charger

	Order No.
Body only	601163850



* See page 121 for Battery Set options



Full Service price group FS4

KPA 18 LTX 400 CORDLESS CAULKING GUN

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
- Optimal material use thanks to almost complete discharge

Battery pack voltage / type	18 V Li-ion
Discharge pressure	7259 N
Holder size	400 ml
Feed rate in idle	1-10 mm/s
Suitable for	Cartridges / Foil bag



KPA 18 LTX 400 Scope of delivery

400 ml tube, Push plate for foil bag
Push plate for cartridges, Cartridge carrier
without battery pack, without charger

	Order No.
Body only	601206850



* See page 121 for Battery Set options

Full Service price group FS4

**Cordless L-Class vacuum cleaner
light and compact**



KPA 18 LTX 600 CORDLESS CAULKING GUN

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- No dripping thanks to automatic retraction of the gear rack
- Optimal material use thanks to almost complete discharge
- LiHD battery pack for ultimate performance, extremely long runtime and service life

Battery pack voltage / type	18 V LiHD
Discharge pressure	7259 N
Holder size	600 ml
Feed rate in idle	1-10 mm/s
Suitable for	Cartridges / Foil bag



KPA 18 LTX 600 Scope of delivery

600 ml tube, Push plate for foil bag, Push plate for cartridges,
without battery pack, without charger

	Order No.
Body only	601207850



* See page 121 for Battery Set options

Full Service price group FS4

AS 18 L PC CORDLESS VACUUM CLEANER

- Light, compact cordless vacuum cleaner for mobile use for extraction and vacuuming of dust and chips
- Dry vacuum cleaner with commercial registration, certified in accordance with EU standard for L class dust
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- Large corner switch for easy switching On/Off also by foot
- Practical storage for second battery pack, charger, nozzles and hose (3 m)



Air output max.	2100 cfm
Vacuum	120 hPa (mbar)
Container volume	7.5 L

AS 18 L PC Scope of delivery

Suction hose (Ø 27 mm / 3.0 m), Fleece filter bag
Suction nozzle (120 mm wide), Crevice nozzle, Carrying strap
2 Li-Power battery packs (18 V/5.2 Ah Li-ion)
Charger ASC 55 "AIR COOLED"

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602021000
Body only	602021850










Trolley AS 18 L PC
Order No. 630174000



Full Service price group FS4

Vacuum cleaner accessories

	Description	Order No.
	5 FLEECE FILTER BAGS - 7.5L, AS 18 L PC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters)	630173000
	CREVICE NOZZLE, Ø 35 MM, 200 MM LONG The crevice nozzle is a universal tool Thanks to its narrow shape it is ideal to clean very small crevices It can be used in connection with wet & dry tools	630323000
	STRETCH SUCTION HOSE, Ø 32MM, L 0.7 - 3.5 M Standard equipment for AS 18 L PC vacuum, suitable for all standard vacuum cleaners from other manufacturers Stretch suction hose for comfortable handling and maximum freedom of movement when vacuuming connector Ø 58 / 32 mm Stretch suction hose Ø: 32 mm with a hose length of 0.7 to 3.5m Swivel joint for improved ergonomics With bayonet fitting and rubber connector (internal Ø 30 mm, outside Ø 35 mm)	630176000
	SUCTION NOZZLE, Ø 35 MM, 120MM WIDE Ideal for use during installation after e.g. small drilling applications Standard equipment for ASA 1202 and AS 18 L PC	630320000
	5 FLEECE (M-CLASS) FILTER BAGS - 25/35L, ASR 36-18 BL 25 M SC Fleece filter bags are better and easy to open out than paper ones Well suited for applications where small amounts of fine dust are generated (e.g. grinding and removal of paint and lacquer coatings or short drilling jobs with small diameters) Ideal for use with wood processing machines, such as routers, planer thicknesser, small random orbital sanders and orbital sanders etc. Suitable for all all-purpose and special suction units with a maximum container volume of 25/35 l	630343000
	5 PE (M-CLASS) FILTER BAGS - 25L, ASR 36-18 BL 25 M SC 20 times the volume of paper filter bags No clogging with fine dust (especially quartz dust) Well suited for applications where large amounts of fine dust are generated (e.g. removal of plaster from surfaces, grinding and removal of screed etc.) Meet the requirements for M and H class vacuums Ideal when using machines for processing concrete and masonry, such as: renovation milling machines, renovation grinder, long-neck sanders, wall chasers etc. Clean, simple and fast removal and disposal	630275000
	2 FILTER CASSETTES, POLYESTER, DUST CLASS M Corresponds to dust class M Also suitable for absorbing graphite/toner and vacuuming liquids	631934000



ASR 36-18 BL 25 M SC CORDLESS VACUUM CLEANER

NEW

- Best in class cordless wet/dry vacuum cleaner with cordless control function for intelligent extraction without cable connection
- CordlessControl: the vacuum cleaner starts/stops automatically when the cordless tool from Metabo or other brands, which is connected to the hose, is switched on/off.
- Manual starting of the vacuum cleaner is also possible with the remote button at the coupling bush of the hose
- Commercially approved cordless vacuum cleaner, certified for dusts of dust class M

Battery pack voltage	1 x 36 V / 2 x 18 V
Air output max.	4.000 l/min
Vacuum	240 hPa (mbar)
Container volume	25 L
Suction hose Ø	35 mm

BRUSHLESS



ASR 36-18 BL 25 M SC Standard scope of delivery


Suction hose 630177000 (Ø 35 mm / 4.0 m / electro-conductive), CordlessControl transmitter with fixing tape Ø 35 mm, 1 Multi tape, 2 Plastic suction tubes, Handle adapter, Fleece filter bag, 2 Polyester filter cassettes (M class), Floor nozzle (300 mm wide), Crevice nozzle, Coupling bush internal Ø 28 mm / external Ø 35 mm, without battery pack, without charger

Battery options	Order No.
Body only + Accessories	602046850

Full Service price group FS4 * See page 121 for Battery Set options



ANGLE GRINDERS & METAL PROCESSING



WPB 36-18 LTX BL 230 CORDLESS ANGLE GRINDER

- World's first large angle grinder (Ø 230 mm) with battery pack operation for powerful cutting and roughing independent from the mains power
- 100% compatibility with the 18 Volt class: powerful 36 Volt operation with two 18 Volt battery packs from Metabo
- Widest range of application thanks to extremely large cutting depth of 77 mm
- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Deadman's switch for high user safety
- Fast brake system for highest user safety stops the disc within a matter of seconds after switching off
- Rotating main handle: high safety and better handling when cutting
- Metabo VibraTech (MVT) side handle for vibration damping to protect the user's health
- Side handle can be mounted in three positions
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety
- Overload protection, soft start and restart protection
- LiHD battery pack for ultimate performance, extremely long runtime and service life

Battery pack voltage / type	18 V LiHD
Grinding wheel Ø	230 mm
No-load speed	6600 rpm
Spindle thread	M14
Weight (inc. battery pack)	6.9 kg



BRUSHLESS



WPB 36-18 LTX BL 230 Standard scope of delivery

Guard, Inner support flange, Nut with two holes
Metabo VibraTech (MVT) side handle, Flat-pin spanners
4 x LiHD battery packs (18 V/8.0Ah), Quick Charger ASC Ultra
"AIR COOLED", Plastic carry case

Battery options	Order No.
4 LiHD (18 V/8.0 Ah)	613102810
Body only + carry case	613102840
36V - ALSO AVAILABLE	Order No.
WPB 36 LTX BL 230 (2 LiHD x 36V/6.2Ah)	600795680



Scope of delivery



Full Service price group FS4

W 18 LTX 115 QUICK

- Slim design for prolonged comfort when working overhead or in areas with limited space
- Battery pack can be swivelled for better working in hard to reach places

Battery pack voltage	18 V
Grinding disc Ø	115 mm
No-load speed	8000 rpm
Spindle thread	M 14



Full Service price group FS3

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	UK602174510
Body only + metaBOX 165 L	602170840



W 18 LTX 115 Quick Standard scope of delivery

Guard, Inner support flange, Quick adjusting nut, Charger ASC 55 "AIR COOLED", metaBOX 165 L, Side handle, Dust filter

W 18 LTX 125 QUICK

- Slim design for prolonged comfort when working overhead or in areas with limited space
- Battery pack can be swivelled for better working in hard to reach places

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8000 rpm
Spindle thread	M 14



Full Service price group FS3

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	602174650
Body only + metaBOX 165 L	602174840



W 18 LTX 125 Quick Standard scope of delivery

Guard, Inner support flange, Quick adjusting nut, Charger ASC 55 "AIR COOLED", metaBOX 165 L, Side handle, Dust filter

WP 18 LTX 125 QUICK

- Slim design for prolonged comfort when working overhead or in areas with limited space
- Paddle switch with dead man function: Safe to operate due to an ergonomically integrated non-slip switch

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	8000 rpm
Spindle thread	M 14



Full Service price group FS4

	Order No.
Body only inc. inlay	613072890



WP 18 LTX 125 Quick Standard scope of delivery

Guard, Inner support flange, Quick adjusting nut, Charger ASC 55 "AIR COOLED", metaBOX 165 L, Side handle, Dust filter

WB 18 LTX BL 125 QUICK

- Unique encapsulated Metabo brushless motor with optimum protection from dust for quick work progress and highest efficiency for any application
- Electronic safety shutdown of the motor if the grinding/cutting wheel jams reduces kickbacks

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	9000 rpm
Spindle thread	M 14



Full Service price group FS4

Battery options	Order No.
2 LiHD 18 V 5.5Ah	613077660
2 LiHD 18 V 8.0Ah	613077810
Body only + metaBOX 165 L	613077840



WB 18 LTX BL 125 Quick Standard scope of delivery

Guard, Inner support flange, Quick adjusting nut, Charger ASC 145 "AIR COOLED", metaBOX 165 L, Side handle, Dust filter

WPB 18 LTX BL 125 QUICK

- Fast brake system with safety spindle for highest user protection: stops the disc after switching off within 2 seconds and prevents the nut from getting unscrewed during the braking process
- Paddle switch with dead man function – Safe to operate due to an ergonomically integrated non-slip switch

Battery pack voltage	18 V
Grinding disc Ø	125 mm
No-load speed	9000 rpm
Spindle thread	M 14



Full Service price group FS4

Battery options	Order No.
2 x LiHD 18 V 5.5Ah	613075660
2 x LiHD 18 V 8.0Ah	613075810
Body only + metaBOX 165 L	613075840




WPB 18 LTX BL 125 Quick Standard scope of delivery

Guard, Inner support flange, Quick adjusting nut, Charger ASC 145 "AIR COOLED", metaBOX 165 L, Side handle, Dust protection filter

W 18 LTX 150 QUICK

- World's first 150 mm cordless angle grinder for powerful cutting up to 45 mm deep.
- Battery pack can be swivelled for better working in hard to reach places

Battery pack voltage	18 V
Grinding disc Ø	150 mm
No-load speed	8000 rpm
Spindle thread	M 14



Full Service price group FS3

	Order No.
Body only + metaBOX 165 L	600404840



W 18 LTX 150 Quick Standard scope of delivery

Clip for cut-off guard, Guard, 2 Flexiarapid Inox cutting discs, Inner support flange, Quick-locking nut, Side handle, Dust protection filter, metaBOX 165 L, without battery pack, without charger

* See page 121 for Battery Set options

* See page 121 for Battery Set options

WF 18 LTX 125 QUICK FLAT HEAD ANGLE GRINDER

- Extremely flat gear head permits working within acute angles down to 43°
- Compact design for quick removal of welding slag, rust or paint in tight places e.g. frame constructions
- Low-fatigue working even on weld seams in difficult to access places thanks to slim handle
- Robust motor for long service life
- Metabo Quick for tool-free disc change by means of a quick-locking nut
- Tool-free adjustable guard; twist-proof
- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles
- LiHD battery pack for ultimate performance, extremely long runtime and service life
- Battery packs with capacity display for checking the charge status




Battery pack voltage	18 V
Minimum accessible angle	43°
Grinding disc Ø	125 mm
No-load speed	8000 rpm
Spindle thread	M 14



WF 18 LTX 125 Quick Standard scope of delivery

- 5 Flap discs Flexiamant Super Convex (125mm; P60)
- Guard
- Inner support flange
- Quick-locking nut
- Side handle
- Dust protection filter
- metaBOX 165 L
- without battery pack, without charger



With patented gear design:
the Metabo flat-head angle grinder

	Order No.
Body only + metaBOX 165 L	601306840

* See page 121 for Battery Set options



Full Service price group FS4

GA 18 LTX CORDLESS DIE GRINDER

- Spindle lock for simple change of tools
- Electronic safety shutdown of the motor if the tool jams for safe working
- Precision collet for precise concentricity
- For use with burrs and points

Battery pack voltage	18 V
No-load speed	25000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm



GA 18 LTX Scope of delivery

- Collet 6 mm, Protective rubber cap
- Dust filter, Open-jawed spanner,
- without battery pack, without charger

	Order No.
Body only + metaBOX 145 L	600638840

Full Service price group FS4 * See page 121 for Battery Set options

GPA 18 LTX CORDLESS DIE GRINDER

- Spindle lock for simple change of tools
- Paddle switch with dead man function: Safe to operate due to an ergonomically integrated non-slip switch
- Electronic safety shutdown of the motor if the tool jams for safe working
- Precision collet for precise concentricity
- For use with burrs and points

Battery pack voltage	18 V
No-load speed	25000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm



GPA 18 LTX Scope of delivery

- Collet 6 mm, Protective rubber cap,
- Dust protection filter, Open-jawed spanner
- without battery pack, without charger

	Order No.
Body only + metaBOX 145 L	600621890

Full Service price group FS4 * See page 121 for Battery Set options

GA 18 LTX G CORDLESS DIE GRINDER

- High torque and compact design thanks to robust planetary gear
- Spindle lock for simple change of tools
- Restart protection: prevents unintentional start-up after power supply interruption
- Overload protection: protects the motor from overheating
- For use with sanding accessories

Battery pack voltage	18 V
No-load speed	6000 rpm
Collar diameter	43 mm
Collet chuck bore	6 mm



GA 18 LTX G Scope of delivery

- Collet 6 mm, Protective rubber cap, Side handle
- Dust protection filter, Open-jawed spanner
- without battery pack, without charger

	Order No.
Body only plus MetaLoc	600639850

Full Service price group FS4 * See page 121 for Battery Set options

Cordless Metal Nibblers

18V



Cordless Metal Shears

18V



NIV 18 LTX BL 1.6 CORDLESS NIBBLERS

NEW

- Handy, powerful cordless nibblers for effortless cutting of flat and shaped sheets
- Good cornering ability for notches and interior cut-outs of a radius of 40 mm or more
- Fast, tool-free adjustment of cutting direction by up to 360°, in 45° steps
- High feed rate for faster working, thanks to an efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm ²	1.6 mm
Strokes in idle	660 - 2360 rpm
Cutting speed	1.2 - 2.6 m/min

BRUSHLESS



Punches for NIV18 LTX BL 1.6
Order No. 630243000



Die for NIV18 LTX BL 1.6
Order No. 630247000



NIV 18 LTX BL 1.6 Standard scope of delivery

Punch, Die, Chip Collection Bag, Combo-spanner, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601614840

* See page 121 for Battery Set options

Full Service price group FS4

SCV 18 LTX BL 1.6 CORDLESS METAL SHEARS

NEW

- Very handy and manoeuvrable cordless sheet-metal shears for burr-free cutting of sheet metal on site
- Maximum cornering ability, for comfortable cutting of narrow radii from 15 mm
- Faster working, thanks to the efficient brushless motor
- Infinitely adjustable cutting speed for individual customisation to the given material and task at hand
- Comfortable handling thanks to low weight, slim grip area and switch located on the top

Battery pack voltage	18 V
Max. sheet thickness for steel: 400 N/mm ²	1.6 mm
Strokes in idle	1,350 - 4,840 rpm
Cutting speed	7 m/min

BRUSHLESS



2 Reversible blades for Steel up to 400N/mm²
Order No. 630239000



2 Reversible blades for Steel up to 800N/mm²
Order No. 630241000

SCV 18 LTX BL 1.6 Standard scope of delivery

2 reversible blades, Feeler gauge, 2 Hexagonal wrenches, metaBOX 145, without battery pack, without charger

Battery options	Order No.
Body only + metaBOX 145	601615840

* See page 121 for Battery Set options

Full Service price group FS4



CC 18 LTX BL
18V CORDLESS ANGLE GRINDER

- Very handy tool with maximum working comfort for many applications
- Always the right accessories: large selection of discs to process metal, wood, stone, tiles and plastic.
- Powerfull brushless motor for quick work progress and highest efficiency
- Overload protection: protects the motor from overheating
- Restart protection: prevents unintentional start-up after battery pack change



Battery pack voltage	18 V
Grinding wheel Ø	76 mm
No load speed	20,000 / min
Spindle thread	M5
Weight	1.0 kg



Scope of delivery

Clip for cut-off guard, 2 Cutting discs Flexiarapid Super Inox, 2 Cutting discs Flexiarapid Super Universal, Cutting and grinding disc Combinator Inox, Allen key, metaBOX 165 L, without battery pack, without charger

	Order No.
Body only + metaBOX 165 L	600349840

* See page 121 for Battery Set options

Full Service price group FS2

Always the right accessories.

For processing metal, stainless steel, wood, stone, tiles and plastic.

Starter Set

Cutting disc "Flexiarapid Super" Inox
Cutting and grinding disc "Combinator" Inox
Diamond Cutting Disc "professional" – UP
Order no. 626879000



5x Cutting disc "Flexiarapid Super" Inox
Especially for processing stainless steel
76 x 1.0 x 10 mm, Inox
Order no. 626870000



1x Diamond cutting disc "professional", TP
For all types of tiles, fine stoneware
76 x 10 mm, TP
Order no. 626874000



1x Flap disc "ZK Flexiamant"
For rough and intermediate grinding in the entire metal sector
76 mm, P60, F-ZK
Order no. 626875000



3x Cutting and grinding disc "Combinator" Inox
For quick cutting and easy deburring/sanding
76 x 2.5 x 10 mm, Inox
Order no. 626872000



5x Cutting disc "Flexiarapid Super" universal
Universal use
76 x 1.0 x 10 mm
Order no. 626871000



1x Diamond cutting disc "professional", UP
For universal use
76 x 1.2/2.2 x 10 mm, UP
Order no. 626873000



1x Flap disc "ZK Flexiamant"
For rough and intermediate grinding in the entire metal sector
76 mm, P80, F-ZK
Order no. 626876000



POWER 160-5 18 LTX BL OF
18V CORDLESS COMPRESSOR

LIGHT
COMPACT
PROFESSIONAL



- Light and powerful cordless compressor with brushless motor for use in interior development and on construction sites
- Oil-free piston compressor: simple transportation and reduced service requirements
- Instrument panel with easy to read manometers for tank and working pressure
- 10 year tank warranty against rust

Battery options	Order No.
2 LiHD 18 V 5.5Ah + ASC 145	UK60152851
Body only	601521850

Full Service price group FS7

Suction Rate	120 l/min (4.2 cfm)
Filling capacity	60 l/min (2.1 cfm)
Rated input power	700 W
Effective delivery volume (at 80% max. pressure)	45 l/min (1.6 cfm)
Maximum pressure	8 bar / 116 psi
Tank capacity	5 l
Weight	8,5 kg

Manometers:
For tank & working pressure

Protected operator panel:
manometers, coupling and regulator are protected against damage by the pipe frame



Rubber suction feet:
- Prevents movement during operation
- Prevents marking of work surface

BRUSHLESS



Fast refilling: of tank thanks to 700 W input power

Extra battery storage: spare battery pack can be stored at the compressor

More efficiency: the brushless motor offers great performance with low energy consumption for longer runtime

Easy transportation: thanks to low weight of 8,5 kg (with battery 9,4 kg) and compact size

NP 18 LTX BL 5.0 CORDLESS BLIND RIVET GUN

- Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- 100% compatible with all Metabo 18 Volt battery packs
- Long service life thanks to brushless motor and robust precision gearbox
- With holding nozzles for one-hand operation - inserted rivet holds in any position
- Transparent collecting container for simple emptying of the remaining rivet mandrels
- Quick change of nozzle for different rivet diameters, via integrated tool
- Safety in the workplace thanks to robust knuckle guards
- LED light for optimum illumination when riveting; can be switched off for reflective surfaces
- Ergonomic design for comfortable working also in corners
- Robust eyelet for energy-saving work with balancer / spring tension
- Handy belt hook, can be fixed either on the right or left side
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle efficient charging, optimum energy utilisation and long service life

Battery pack voltage / type	18 V LiHD
Rivet Ø all materials	2.4 - 5 mm
Max. rivet Ø all aluminium	6 mm
Placement force	10000 N
Weight (inc. battery pack)	2.2 kg

NP 18 LTX BL 5.0 Standard scope of delivery

4 retaining nozzles, 4 Standard mouthpieces
Belt hook, 2 LiHD Battery packs (18 V/4.0 Ah)
Charger ASC 55 "AIR COOLED"
metaBOX 145 L

Scope of delivery



Battery options	Order No.
2 x LiHD 18 V 4.0Ah	619002800
Body only + metaBOX 145 L	619002840



Full Service price group FS4

BE 18 LTX 6 CORDLESS DRILL

- Quick-rotating cordless drill with handy design and high precision for drilling into metal
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Battery packs with capacity display for checking the charge status
- Ultra-M technology for highest performance, gentle charging, optimum energy utilisation and long service life

Battery pack voltage	18 V
Maximum torque	4 Nm
Drill Ø steel	6 mm
Drill Ø soft wood	12 mm
No-load speed	0 - 4000 / min
Chuck capacity	1 - 10 mm



BE 18 LTX 6 Scope of delivery

Body only, plus metaBOX 145 L

Order No. 600261840

Full Service price group FS3

* See page 121 for Battery Set options

NP 18 LTX BL 5.0 + BE 18 LTX 6 SET

- NP 18 LTX BL: Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- BE 18 LTX 6: Fast and handy cordless drill with high precision for drilling into metal
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.



NP 18 LTX BL 5.0 + BE 18 LTX 6 SET Standard scope of delivery

2 x metaBOX 145 L cases, 2 LiHD battery packs (18 V/4.0 Ah), 4 standard mouth pieces, 4 retainer mouthpieces, Charger ASC 55 "AIR COOLED", HSS-CO-drill bit storage case 13 pieces

Order No. 691084000

With 2 LiHD battery packs (18 V/4.0 Ah)

Full Service price group FS3 + FS4



KFM 18 LTX 3 RF CORDLESS CHAMFER TOOL

- The most powerful cordless metal bevelling tool for 45° chamfers up to 4 mm and radii of 2 and 3 mm
- Surfaces free from oxide and burrs as ideal preparation for the application of powder or paint coatings for maximum protection from corrosion
- One-touch controller: Patented, tool-free setting of the cutting depth in 0.1 steps; stop points for short setting times, and protection against unintentional adjustment of the cutting depth when working
- Slim milling head for working on tubes, on bores from Ø 13 mm, and on exterior contours
- Parallel guide / rip fence for a uniform finish when processing straight edges
- Battery pack can be swivelled for better access in hard to reach places
- Detachable dust protection filter protects motor from coarse particles
- LiHD battery pack for ultimate performance, extremely long runtime and service life



Battery pack voltage	18 V
No-load speed	7000 rpm
Type of edges	Chamfer and radius
Max. chamfer height at 45°	4 mm
Max. radius	R3
Grading of cutting depth setting	0.1 mm
Weight (inc. battery pack)	2.6 kg



KFM 18 LTX 3 RF Standard scope of delivery

- 2 Carbide indexable inserts , 45° chamfer
- Side handle Metabo VibraTech (MVT)
- Dust filter, Charger ASC 145 "AIR COOLED"
- metaBOX 215
- 2 Carbide indexable inserts radius R2
- 2 Carbide indexable inserts radius R3
- Guide fence, Screwdriver Torx 15

Battery options	Order No.
2 x LiHD 18 V 5.5Ah	601754700
Body only plus metaBOX 215	601754840

Scope of delivery



Full Service price group FS4



GB 18 LTX BL Q I CORDLESS TAPPER

- High-grade cordless drill/screwdriver with unique, patented thread-tapping function
- Quick and interruption-free cutting and cleaning of threads thanks to automatic change of direction of rotation
- Two quick-change tapping chuck for inserting taps with square and cylindrical shanks
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Battery pack voltage	18 V
Maximum torque - soft / hard	60 Nm / 120 Nm
Thread diameter	M4 - M12
Drill Ø steel / soft wood	13 mm / 65 mm



GB 18 LTX BI Q I Scope of delivery

- Quick-change tapping chuck M4-M6
- Quick-change tapping chuck M8-M12
- Side handle, Belt hook and bit case
- Charger ASC 55 "AIR COOLED"
- metaBOX 145 L

Battery options	Order No.
2 x 18 V 5.2Ah Li-Power	603828500
Body only + metaBOX 145 L	603828840



Full Service price group FS4



BF 18 LTX 90 CORDLESS BAND FILE

- Powerful, compact cordless band file for grinding, burnishing and deburring in places difficult to reach
- Robust motor for long service life
- Tool-free change of sanding belt and adjustable belt guide
- Grinding attachment can be swivelled by 270° without tools for perfect adaptation to any working position
- Battery pack can be swivelled for better working in hard to reach places

Battery voltage	18 V
Grinding belt width	6 -19 mm
Grinding belt length	457 mm

BF 18 LTX 90 Scope of delivery	BF 18 LTX 90 Order No. 600321850
Side handle, Dust protection filter Sanding belt arm 1 (belt width 6 / 13mm) Hexagonal wrench without battery pack, without charger	



* See page 121 for Battery Set options

Full Service price group FS4

W 18 LTX 125 QUICK INOX ANGLE GRINDER

- Speed and torque configured precisely for stainless steel processing ensuring a cool grinding action with perfect finish
- Slim design for prolonged comfort when working overhead or in areas with limited space
- Metabo Quick for tool-free disc change by means of a quick-locking nut
- Tool-free adjustable guard; twist-proof
- Battery pack can be swivelled for better access in hard to reach places
- Overload protection: protects the motor from overheating



Battery voltage	18 V
No-load speed	5000 rpm
Disc diameter Ø	125 mm
Spindle thread	M 14

W 18 LTX 125 Quick INOX Scope of delivery	Order No. 600174850 Body only
	Guard Inner support flange Quick-locking nut Side handle Dust protection filter



* See page 121 for Battery Set options

Full Service price group FS4



KNS 18 LTX 150 CORDLESS FILLET WELD GRINDER

- Very flat cordless fillet weld grinder for processing stainless steel weld seams in tight spaces
- Robust motor for long service life
- Adjustable without tools, removable guard
- Low-maintenance belt drive for long service life
- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles



Battery voltage	18 V
No-load speed	3800 rpm
Disc diameter	150 mm
Spindle thread	M 14

KNS 18 LTX 90 Scope of delivery	Order No. 600191850 Body only
	Guard, Inner support flange Nut with two holes, Side handle Dust protection filter Flat-pin spanner, Hexagonal wrench



* See page 121 for Battery Set options

Full Service price group FS4



RB 18 LTX 60 CORDLESS TUBE BELT SANDER

- Compact cordless tube belt sander for quick, flexible processing of stainless steel pipes
- Large wrap angle of 190° for smooth surfaces
- Robust motor for long service life
- Tool-free change of sanding belt and adjustable belt guide
- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles



Battery voltage	18 V
Maximum pipe diameter	60 mm
Wrap angle	190°
Dimensions of grinding belt	30 x 533 mm



RB 18 LTX 60 Scope of delivery	RB 18 LTX 60 Order No. 600192850
Dust protection filter	without battery pack, without charger

* See page 121 for Battery Set options

Full Service price group FS4



Tube Belt Sander - Sanding discs

<p>10 Sanding belts 30 x 533 mm P80, ZK, RB Order No. 626285000</p>	
<p>3 Nylon web bands 30 x 533 mm mittel, RBS Order No. 626297000</p>	
<p>Felt band 30 x 533 mm, soft, RB Order No. 626299000</p>	

S 18 LTX 115 CORDLESS BURNISHING MACHINE

- Compact cordless burnishing machine for grinding, burnishing, brushing and high-gloss polishing of e.g. stainless steel
- Robust motor for long service life
- Spindle lock and tool-free flange nut for fast accessory change
- Fast and tool-free adjustment of guard and side handle
- Smooth-running, form-fit roller arbor for a uniform finish
- Battery pack can be swivelled for better working in hard to reach places
- Detachable dust filter protects motor from coarse particles
- Overload protection: protects the motor from overheating
- Electronic soft start for smooth start-up
- Restart protection: prevents unintentional start-up after power supply interruption



Battery voltage	18 V
No-load speed	3000 rpm
Abrasive tool diameter	100 - 200 mm
Abrasive tool width	50 - 100 mm
Spindle thread	M 14
Weight (including battery pack)	3.1 kg



S 18 LTX 115 Scope of delivery

Side handle, Dust protection filter

Order No. 600154850
Body only

* See page 121 for Battery Set options

Full Service price group FS4



BURNISHER ACCESSORIES



Fleece Grinding Wheels

Elastic grain-coated nylon web for shadow-free tarnishing, satin-finish and polishing of special steel and non-ferrous metals
For use on wood to smooth surfaces
Maximum speed: 5,600 /min; recommended speed: 2,900 /min, Ø 115 mm: 2,600 /min

Diameter	Width	Grit	Order No.
105 mm	100 mm	P 60	623486000
105 mm	100 mm	P 80	623487000
105 mm	100 mm	P 180	623488000
105 mm	100 mm	P 280	623514000
115 mm	100 mm	P 400	623468000
115 mm	100 mm	P 600	623469000
115 mm	100 mm	P 900	623494000



Lamellar Grinding Wheels

For removing rust, oxide layers, scratches
For texturing and satin-finish of metal
Maximum speed: 5,800 /min; recommended speed: 3,200 /min

Diameter	Width	Grit	Order No.
105 mm	100 mm	P 40	623477000
105 mm	100 mm	P 80	623479000
105 mm	100 mm	P 120	623480000
105 mm	100 mm	P 180	623481000
105 mm	100 mm	P 240	623482000
105 mm	100 mm	P 60	623513000



Flap Wheels / Fleece Grinding Wheels

Pink aluminium oxide grinding lamellae combined with grain-coated nylon web
For tarnishing, satin-finish and removing scratches on metal
Removing old paint and smoothing wood materials
Maximum speed: 5,600 /min; recommended speed: 2,900 /min

Diameter	Width	Grit	Order No.
105 mm	100 mm	P 60	623483000
105 mm	100 mm	P 80	623484000
105 mm	100 mm	P 180	623485000
105 mm	50 mm	P 60	623526000
105 mm	50 mm	P 80	623527000
105 mm	50 mm	P 180	623528000

For more accessories, see our main catalogue or visit our website: www.metabo.com/uk



R 12-18 BT Cordless Worksite Radio with Bluetooth

- Robust and compact AM/FM worksite radio with Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Radio frequency AM	522 - 1620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 BT
Scope of delivery

Order No. 60077380
Body only

Mains cable
without battery pack



Full Service price group FS1

R 12-18 DAB+ BT Cordless Worksite Radio digital DAB+ Bluetooth

- Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions
- With Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Radio frequency AM	522 - 1.620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight (without battery pack)	1.85 kg

R 12-18 DAB+ BT
Scope of delivery

Order No. 600778380
Body only

Mains cable
without battery pack



Full Service price group FS1

ULA 14.4-18 LED CORDLESS LAMP

- Powerful LED portable lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be tilted and locked in 12 positions
- Robust aluminium die-cast housing for use on construction sites
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- Swivelling hook for suspending the lamp

Max. luminous flux	280 lm
Max. operation time per battery charge	18 V / 2.0 Ah: 6.4h 18 V / 4.0 Ah: 12.7h 18 V / 5.2 Ah: 16.5h 18 V / LiHD 3.1: 10h 18 V / LiHD 5.5: 17.6h 18 V / LiHD 8.0: 24h
Weight (inc. battery pack)	0.39 kg



Order No. 600368000
Body only

Full Service price group FS1

SLA 14.4-18 LED CORDLESS LAMP

- Powerful LED inspection lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be turned and swivelled through 180° providing almost infinite positions for the lamp
- Robust aluminium die-cast housing for use on construction sites
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs
- Swivelling hook for suspending the lamp

Max. luminous flux	440 lm
Max. operation time per battery charge	18 V / 2.0 Ah: 4.5h 18 V / 4.0 Ah: 9.1h 18 V / 5.2 Ah: 11.8h 18 V / LiHD 3.1: 7h 18 V / LiHD 5.5: 12.4h 18 V / LiHD 8.0: 18h
Weight (inc. battery pack)	0.46 kg



Order No. 600370000
Body only

Full Service price group FS1

BSA 14.4-18 LED CORDLESS LAMP

- Powerful cordless site spotlight with 18 LEDs for extensive and even illumination of the workplace, also suitable for surface processing.
- The Metabo cordless system: Operation with all Li-Power and LiHD "slide-style" battery packs with 18 Volts
- Very bright and pleasant light, inspired by daylight, with two illumination levels
- Extremely long-lasting illumination of up to 7 hours per battery charge (5.2 Ah)
- Minimum heat generation: the spotlight only gets lukewarm for safe handling during continuous operation

Technical Data	BSA 14.4-18 LED
Max. operation time per battery charge	18 V / 2.0 Ah: 2.7h 18 V / 4.0 Ah: 5.4h 18 V / 5.2 Ah: 7.0h 18 V / LiHD 5.5: 7.4h 18 V / LiHD 8.0: 10.0h
Weight (inc. battery pack)	2.5 kg

BSA 14.4-18 LED
Scope of delivery

Order No. 60211850
Body only

Full Service price group FS2



BSA Tripod

- Stable on uneven ground
- Fully adjustable
- High quality
- Portable
- Robust

Order No. 623729000

Tripod + Bag



Full Service price group FS2

HJA 14.4-18 CORDLESS HEATED JACKET

- High-quality cordless heated jacket for work and leisure - warm, comfortable and versatile
- Six heating zones can be heated simultaneously or selectively at three different heating levels
- Warm hands thanks to two heated jacket pockets
- Up to 12 hours of comfortable warmth on level 1 or 5 hours of strong warmth on level 3 with one battery pack charge (18 V/5.2 Ah/all zones)
- Up to 5 hours of warmth on level 1 or 2 hours of warmth on level 3 when using a 18 V/2.0 Ah battery pack
- Extremely hard-wearing thanks to wind- and water-resistant, tear-proof material
- Outer material from 100% cotton, inner material and padding from 100% polyester
- One easy to reach battery pack pocket left behind the side seam
- Operation with all Li-Power and LiHD slide-on 12 and 18 Volt battery packs
- The jacket can also be operated with 12 V battery packs in connection with the smaller Metabo Power adapter **PowerMaxx 12 LED-USB** (order no. 600298000).

Size	Order No.
XS	657025000
M	657027000
L	657028000
XL	657029000
XXL	657030000

Scope of delivery

Power Adapter PA 14.4-18 LED-USB without battery pack, without charger



AG 18 CORDLESS BLOWER

- Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.
- Good ergonomics provided by a rubberised handle and an optimum centre of gravity
- Robust design suitable for applications in the workshop and on the construction site
- Vario (V)-Electronics for continuously selectable blowing air velocity rate
- Thumbwheel for preselection of 3 air velocity rate settings for varied output
- Rubberised end piece of the blow tube to protect delicate surfaces
- Comfortable blowing of floor areas using the supplied extension of the blow tube



Air volume	1 / 1.55 / 2.6 m ³ /min // 31 / 54 / 91 cfm
Max. air velocity:	74 m/s / 166 mph
Weight (inc. battery pack)	1.87 kg

Order No. 602242850
Body only



Full Service price group FS1

AV 18 CORDLESS FAN

- High-quality cordless fan for flexible use, independent from mains power
- Battery pack operating time of up to 7 hours (at 5.2 Ah)
- Robust metal cage for maximum air throughput with minimum turbulence
- Adjustable tilting cage for flexible direction of air flow
- Air speed selectable via 3 levels
- Quiet operation even with highest level setting
- Stable tubular frame with rubber feet for safe positioning
- Prepared integrated mounting plate for mounting on a tripod or to the wall
- Operation with all Li-Power and LiHD slide-on 18 Volt battery packs



Air velocity	1.8 / 2.8 / 3.8 m/s // 4.02 / 6.26 / 8.5 mph
Maximum speed	1300 rpm
Rotor diameter	355 mm / 14"
Weight (inc. battery pack)	4.55 kg

Order No. 606176850
Body only



Full Service price group FS1

NEW GARDEN RANGE



Also available in 12V as
PowerMaxx SGS 12 Q page 12

SGS 18 LTX Q CORDLESS GRASS/SHRUB SHEARS

- 1 machine - 2 applications
- Shrub shears for precise form cuts on shrubs and bushes
- Grass shears for clean lawn edges
- Tool-free disc change of the two blade attachments thanks to Metabo Quick system
- Lightweight machine with maximum quiet running

Battery pack voltage	18 V
Number of cuts	2,300 /min
With shrub blade	
Cutting length / thickness	20 cm / 8 mm
With grass blade	
Cutting width	11.5 cm
Weight (excl. battery pack)	0.8 kg

Battery options	Order No.
Body only + Accessories	601609840

* See page 121 for Battery Set options

SGS 18 LTX Q Standard scope of delivery

Grass blade, Shrub blade, without battery pack, without charger, metaBOX 145 L

Full Service price group FS1

NEW



Available from January 2021

FSD 36-18 LTX BL 40 CORDLESS TRIMMER (D-HANDLE)

FSB 36-18 LTX BL 40 CORDLESS TRIMMER (BIKE-HANDLE)

NEW

- Comfortable and easy working
- Strong brushless motor for high performance and long runtime per battery pack charge
- Flexible working thanks to stepless speed control
- Thread change - quick and without tools
- Easy readjustment of the thread by means of short tapping of the spool head while working

BRUSHLESS



	FSD 36-18 LTX BL 40	FSB 36-18 LTX BL 40
Battery pack voltage	2 x 18 V	2 x 18 V
Handle type	D-handle	Bike handle
Cutting diameter	40 cm	40 cm
Thread diameter	2 mm	2 mm
No-load speed	0-6,000 / min	0-6,000 / min
Weight (excl. battery pack)	3,5 kg	3,9 kg

Available from January 2021



18 V + 18 V 36 V

Battery options	Order No.
FSD 36-18 LTX BL 40 Body only	601610850
FSB 36-18 LTX BL 40 Body only	601611850

* See page 121 for Battery Set options

Standard scope of delivery

Brush cutter 3 blades, Blade adaptor, without battery pack, without charger

Full Service price group FS4



LB 18 LTX BL CORDLESS LEAF BLOWER

NEW

- Powerful, quiet cordless blower for fast removal of leaves and dirt from squares and paths
- Strong brushless motor for high performance and long runtime per battery pack charge
- Precise dosing of the blowing power thanks to steplessly adjustable air velocity
- Constant blowing force in continuous mode thanks to steplessly lockable speed control trigger
- Slim, well-balanced lightweight construction with rubberised grip area for low-fatigue working close to the body

Battery pack voltage	18 V
Air volume	650 m³/h
No-load speed	0 - 20.300 rpm
Weight (incl. battery pack)	2,5 kg

BRUSHLESS



LB 18 LTX BL Standard scope of delivery

Blowing tube, Shoulder strap, without battery pack, without charger



Battery options	Order No.
Body only	601607850

* See page 121 for Battery Set options

Full Service price group FS2



AHS 18-55V CORDLESS HEDGE TRIMMER

- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a 30° angle
- Lower safety blade for high safety at work
- Top cutting performance generated by double reduction gearing
- Safety features include electronic quick stop of the blade (in 0.3 seconds)
- Trigger guard with twig feed protects user and gear from kickbacks
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage / type	18 V / LiHD
Runtime per battery charge	70 min
Cutting thickness / length	18 mm / 53 cm
No of strokes (No Load)	2700 spm

AHS 18-55V Scope of delivery

2 LiHD Battery packs (18 V/4.0 Ah),
Charger ASC 55 "AIR COOLED", Storage slipcase



Battery options	Order No.
2 x LiHD 18 V 4.0Ah	600463800
Body only with Storage Case	600463850

Full Service price group FS4



AHS 18-65V CORDLESS HEDGE TRIMMER

NEW

- Light, powerful cordless hedge trimmer with low running noise for noise-sensitive areas
- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a 30° angle
- Lower safety blade for high safety at work
- Top cutting performance generated by double reduction gearing
- Pleasant to work with thanks to low-vibration run, perfect ergonomics and soft-grip handle
- Safety features include electronic quick stop of the blade (in 0.3 seconds)
- Trigger guard with twig feed protects user and gear from kickbacks
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

Battery pack voltage / type	18 V / LiHD / Li-ion
Cutting thickness / length	18 mm / 63 cm
No of strokes (No Load)	2700 spm

AHS 18-65V Scope of delivery

Storage slipcase
without battery pack, without charger



Battery options	Order No.
Body only with Storage Case	600467850

* See page 121 for Battery Set options

Full Service price group FS4





RSG 18 LTX 15 CORDLESS BACK-PACK SPRAYER

NEW

- Constant spray pattern, ideal for the even spraying of plant strengthening and pesticides
- High spray volume per battery charge
- High wearing comfort, through ergonomic tank shape and padded shoulder straps with click closure
- Stepless working pressure adjustment
- Precise and application-oriented
- Dosage of the spray quantity
- 4 hours runtime per battery pack (Li-ion 2.0 Ah at 1.5 bar)

Battery pack voltage	18 V
Working pressure	1-3 bar
Spray volume (at 1.5 bar / 2.0 Ah)	90 L
Weight (excl. battery pack)	4 kg

Battery options	Order No.
Body only	602038850

* See page 121 for Battery Set options

RSG 18 LTX 15 Standard scope of delivery
without battery pack, without charger

Full Service price group **FS4**



Available from January 2021

RM 36-18 LTX BL 46 CORDLESS LAWN MOWER

NEW

- 3 in 1: Mowing, Collecting, Mulch.
- Ideal for areas up to 800 m²
- High cutting performance and long runtime per battery pack charge
- Maximum runtime thanks to automatic adjustment of the motor power depending on the grass height
- Easy cutting height setting in 7 stages
- Robust with long service life thanks to metal cover and high-quality mower blade

Battery pack voltage	2 x 18 V
Cutting width	46 cm
Cutting height from-to	25 - 80 mm
Collection bag volume	55 L
Weight (excl. battery pack)	24.5 kg

Battery options	Order No.
Body only	601606850

* See page 121 for Battery Set options

RM 36-18 LTX BL 46 Standard scope of delivery
without battery pack, without charger

Full Service price group **FS4**

18 V ⊕ 18 V = 36 V

BRUSHLESS



Available from January 2021

18V BATTERY PACKS

A decision for the future: The Metabo battery pack system

The correct choice of the battery pack system is a decision with long-term effect. The battery pack systems of different manufacturers are not compatible with each other, and who does not want to carry around an entire collection of battery packs and chargers, should rather decide for a uniform battery pack system right from the beginning. Therefore, so many professionals with high and very high demands for their tools trust in Metabo. We produce any relevant power tool, where it is technically sensible and feasible, also as cordless variant - powerful, innovative and in top quality.

Our vision - your ultimate independence thanks to innovative battery pack system

As leader in battery pack technology, Metabo consequently follows the vision of a cordless construction site to make you even more independent and mobile in your work. When deciding for our cordless interface, you are ideally equipped for the challenges of the future. With our innovations we are continuously setting new standards in the battery pack area. This translates for you into maximum freedom when drilling, screwdriving, chiselling, sawing, grinding and cutting.

They ensure limitless compatibility: The Metabo cordless systems

With our 100% compatibility within the battery pack system, you are always on the safe side - today and in the future! Since 2009, all Metabo battery packs, machines and chargers in a volt class can be flexibly combined with each other. This is possible by our powerful Metabo Ultra-M technology. It stands for the optimal coordination and perfect communication between machine, battery pack and charger. Like this, battery packs are charged in an efficient and gentle manner and are quickly ready to be used again thanks to patented AIR COOLED technology. When working, the energy is optimally used. At the same time our battery packs are particularly durable: A fully charged 5.2 Ampere hour battery pack serves more than an entire working day for many applications.

	Battery type	Ah	Order No.
	Li-ion CAS	2.0	625596000
	Li-ion CAS	4.0	625591000
	Li-ion CAS	5.2	625592000
	LiHD CAS	4.0	625367000
	LiHD CAS	5.5	625368000
	LiHD CAS	8.0	625369000

	Battery type	Ah	Order No.
	LiHD CAS	10.0	625549000
	36 V Li-ion KHA 36 LTX	2.6	625583000
	36 V Li-ion KHA 36 LTX LiHD	5.2	625529000
	36 V KHA 36 LTX	6.2	625344000



		Order No.
	PA 14.4-18 LED USB Compact, multi-function adapter, can be used as charger, energy source and lamp Body Only	600288000
	ASC 55 Charger 55 watt hour charger 3.0 amp charge current Body Only	627045000
	ASC 145 145 watt hour charger 8.0 amp charge current Body Only	627379000
	ASC 145 DUO 145 watt hour charger 8.0 amp charge current Body Only	627495000
	ASC 55 Multi 8 Charger Body Only	627093000 (240 V) 621053390 (110 V)

Tip: Calculate charging times.
Take the battery voltage x battery Ah = watt hour then divide by charger watt hour x 60
i.e. 18V x 8.0Ah / 145 x 60 = 59.58 mins (1 hr)

	Basic Set	Ah	Order No.
	2 x 18 V Li-ion Charger ASC 55 MetaLoc	4.0	685064000
	2 x 18 V Li-ion Charger ASC 55 MetaLoc	5.2	685065000

	Basic Set	Ah	Order No.
	2 x 18 V LiHD Charger ASC 55 MetaLoc	1- 4.0 1- 5.5	685136000
	2 x 18 V LiHD Charger ASC 55 MetaLoc	4.0	685130000
	3 x 18 V LiHD Charger ASC 55 MetaLoc	4.0	685133000
	2 x 18 V LiHD Charger ASC 145 MetaLoc	5.5	685077000
	3 x 18 V LiHD Charger ASC 145 MetaLoc	5.5	685069000
	2 x 18 V LiHD Charger ASC ULTRA 2 x MetaLoc	8.0	685131000
	4 x 18 V LiHD 2 x Charger ASC ULTRA MetaLoc	8.0	685135000
	2 x 18 V LiHD Charger ASC 145 metaBOX 215	10.0	685142000
	4 x 18 V LiHD Charger ASC 145 Duo metaBOX 215	10.0	685143000

Class 9 goods product: This product is not suitable for air freight as delivered

Class 9 goods product: This product is not suitable for air freight as delivered



The Metabo 3-year tool warranty

At Metabo we design our power tools for a long service life, but to give you additional piece of mind for your investment we offer the XXL warranty. After registration, your normal warranty is simply extended to 3 years from the date of purchase.

What is the XXL warranty?

The XXL warranty extends Metabo's normal one year power tool warranty to three years, and is acquired free of charge by registering online at www.metabo.com/xxl. The warranty is available only for tools purchased from April 1, 2004.

What is covered by the XXL warranty?

The XXL warranty covers defects in materials and workmanship. Simply return the tool to your point of sale or your nearest Metabo Repair Centre. See Metabo's warranty statement for full details.

Will all machines purchased come with the XXL warranty?

The XXL warranty is an extension that you receive free of cost only after online registration provided you purchased your machine anytime from April 1, 2004 onwards.

How does the registration work?

On our homepage, complete the XXL warranty form and print out the receipt and you will receive a confirmation via Email. Then, should you make a warranty claim, send this receipt along with the original sales receipt and the faulty machine to your point of sale or warranty agent.

Am I entitled to a warranty claim without an online receipt?

Yes, you are entitled to the normal one year warranty period. The online receipt is meant exclusively for extension of the warranty period to the XXL warranty (three years). If your tool is not registered, the normal one year warranty applies.

How can I register if I have no internet connection?

You can register your machine at www.metabo.com/xxl from any place with access to internet. On purchasing a new machine, your dealer can also register your machine online immediately, as long as the dealer has an internet connection.

How soon after the purchase date must I complete the registration?

The machine must be registered with four weeks after the purchase date. For more information, visit the Metabo XXL web site: www.metabo.com/xxl

3-year battery and charger warranty



Metabo 18V Lithium-Ion and LiHD battery packs and chargers are warranted to the original purchaser for 3 years from the date of purchase against defects in materials and workmanship.

If a listed battery fails to take a charge, or if the charger fails, due to a defect in the first 3 years of ownership, return the battery or charger, along with proof of purchase to your dealer or warranty agent.

Metabo Service: Easy, safe, fair.



The advantages

- ✓ Free repairs of wear and tear
- ✓ Free theft protection
- ✓ Free collection and delivery

FULL SERVICE: Theft protection:

- If an authorized device is stolen, a machine of the same type (basic device, no sets) can be purchased from the Metabo dealer with a 50% discount from the manufacturer's RRP Incl VAT.
- The replacement unit can take over the remaining time of the Full Service contract.
- To make use of the theft protection, the theft must be reported immediately to the police. The notification with the proof of registration must be submitted within 5 working days after the theft to Metabo.
- After successful testing, the new device is delivered to the dealer against payment of the purchase price.

Our full service: so easy – so fair

The Metabo FULL SERVICE is an optional extra which can be purchased at the same time as your machine purchase. Simply purchase a service card directly from your dealer, the full service price group can be found in the Metabo cordless catalogue and website.

When registering your machine within four weeks of purchase for the standard XXL warranty, simply enter the FULL SERVICE code as found on the service card and this will automatically upgrade your warranty to the FULL SERVICE.

The service flatrates are available in the 4 tightly calculated price categories.

Full service price group Order no.	FS 1 144207090	FS 2 144207100	FS 3 144207110	FS 4 144207120
Machine	e.g. cordless drill/screwdriver PowerMaxx BS 12, orbital sander FMS 200 Intec	e.g. circular saw KS 55 FS, drill SBE 850	e.g. cordless angle grinder W 18 LTX 125 Quick, rotary hammer KHE 2644	e.g. cordless screwdriver BS 18 LTX BI QI, jigsaw STE 140 Plus
Cost per month	£ 1.17	£ 1.81	£ 2.36	£ 3.03
One-time cost for 36 months	£ 42.00 incl. VAT	£ 65.00 incl. VAT	£ 85.00 incl. VAT	£ 109.00 incl. VAT



3 year battery pack warranty on all Li-Power and LiHD battery packs without a restriction on charging cycles.



We give you an extra XXL warranty on all our products. Simply register your product online within 4 weeks of purchase and your standard guarantee is extended to 3 years.

Register at metabo-service.com

NEW

Power meets endurance.

LiHD
TECHNOLOGY

The most powerful 2-row
battery pack in the world.

18 Volt – 10.0 Ah



Dealer stamp:

Metabo (UK) Ltd
25 Majestic Road,
Nursling Industrial Estate,
Southampton • SO16 0YT

www.metabo.com/uk



metabo[®]
PROFESSIONAL POWER TOOL SOLUTIONS



Metabo reserves the right to change details or product specification without notice. Photographs are for illustration purposes only. No liability is accepted for printing errors.